

Government of Western Australia Department of Mines, Industry Regulation and Safety



CODE OF PRACTICE

Preparation of safety data sheets for hazardous chemicals











Government of Western Australia Department of Mines, Industry Regulation and Safety



CODE OF PRACTICE

Preparation of safety data sheets for hazardous chemicals



Disclaimer

The information contained in this publication is provided in good faith and believed to be reliable and accurate at the time of publication. However, the information is provided on the basis that the reader will be solely responsible for assessing the information and its veracity and usefulness.

The State shall in no way be liable, in negligence or howsoever, for any loss sustained or incurred by anyone relying on the information, even if such information is or turns out to be wrong, incomplete, out-of-date or misleading.

In this disclaimer:

State means the State of Western Australia and includes every Minister, agent, agency, department, statutory body corporate and instrumentality thereof and each employee or agent of any of them.

Information includes information, data, representations, advice, statements and opinions, expressly or implied set out in this publication.

Loss includes loss, damage, liability, cost, expense, illness and injury (including death).

Reference

Work Health and Safety Commission, Preparation of safety data sheets for hazardous chemicals: Code of practice, Department of Mines, Industry Regulation and Safety 120pp.

ISBN 978 1 920836 96 2 (web)

© State of Western Australia (Department of Mines, Industry Regulation and Safety) 2022

This publication is available on request in other formats for people with special needs.

Further details of safety publications can be obtained by contacting:

Safety Regulation Group – Regulatory Support Department of Mines, Industry Regulation and Safety 303 Sevenoaks Street CANNINGTON WA 6107

 Telephone:
 1300 307 877

 NRS:
 13 36 77

 Email:
 SafetyComms@dmirs.wa.gov.au

Foreword

This Code of practice about the preparation of safety data sheets for hazardous chemicals is an approved code of practice under section 274 of the *Work Health and Safety Act 2020* (the WHS Act).

An approved code of practice provides practical guidance on how to achieve the standards of work health and safety required under the WHS Act and the Work Health and Safety (General) Regulations 2022 (the WHS General Regulations), the Work Health and Safety (Mines) Regulations 2022 (the WHS Mines Regulations), and effective ways to identify and manage risks. A reference to WHS Regulations refers to both Mines and General Regulations.

A code of practice can assist anyone who has a duty of care in the circumstances described in the code of practice. Following an approved code of practice will assist the duty holder to achieve compliance with the health and safety duties in the WHS Act and WHS Regulations, in relation to the subject matter of the code of practice. Like regulations, codes of practice deal with particular issues and may not cover all relevant hazards or risks. The health and safety duties require duty holders to consider all risks associated with work, not only those for which regulations and codes of practice exist.

Codes of practice are admissible in court proceedings under the WHS Act and WHS Regulations. Courts may regard a code of practice as evidence of what is known about a hazard, risk, risk assessment or risk control and may rely on the code in determining what is reasonably practicable in the circumstances to which the code of practice relates. For further information see the <u>Interpretive guideline: How to determine what is reasonably practicable to meet a health and safety duty</u>.

Compliance with the WHS Act and WHS Regulations may be achieved by following another method if it provides an equivalent or higher standard of work health and safety than the code.

An inspector may refer to an approved code of practice when issuing an improvement or prohibition notice.

Scope and application

This Code is intended to be read by a person conducting a business or undertaking (PCBU). It provides practical guidance to PCBUs on how to prepare safety data sheets for hazardous chemicals that are being manufactured or imported for use, handling or storage in Australia.

This Code may be a useful reference for other persons interested in the duties under the WHS Act and WHS Regulations.

This Code applies to a person conducting a business or undertaking involved in the manufacture or import of hazardous chemicals that will be used, or could reasonably be expected to be used, in workplaces covered by the WHS Act.

How to use this Code of practice

This Code includes references to the legal requirements under the WHS Act and WHS Regulations. These are included for convenience only and should not be relied on in place of the full text of the WHS Act or WHS Regulations. The words 'must', 'requires' or 'mandatory' indicate a legal requirement exists that must be complied with.

The word 'should' is used in this Code to indicate a recommended course of action, while 'may' is used to indicate an optional course of action.



Contents

Foi	ewor	d		III
1	1.1	Wha	ion at is a safety data sheet?	2
	1.2 1.3		at are the duties in relation to the preparation of safety data sheets? en is it necessary to prepare a safety data sheet?	
	1.3		micals that do not require a safety data sheet	
	1.5		sification and labelling of chemicals	
2	Prep	aring	g, reviewing and amending safety data sheets	7
	2.1	Wha	at information is needed in an SDS?	7
	2.2	Res	earch chemicals, waste products or samples for analysis	9
	2.3	Can	an SDS prepared overseas be used?	9
	2.4	Rev	iewing and amending an SDS	10
3	Cont	ent	of the safety data sheet	11
	3.1	Sec	tion 1 — Identification	11
	3.2	Sec	tion 2 — Hazard(s) identification	12
	3.3	Sec	tion 3 $-$ Composition and information on ingredients	13
	3.4		tion 4 — First aid measures	
	3.5	Sec	tion 5 — Firefighting measures	17
	3.6		tion 6 — Accidental release measures	
	3.7		tion 7 — Handling and storage	
	3.8		tion 8 — Exposure controls and personal protection	
	3.9		tion 9 — Physical and chemical properties	
	3.10		tion 10 — Stability and reactivity	
	3.11		tion 11 — Toxicological information	
			tion 12 — Ecological information	
			tion 13 – Disposal considerations	
			tion 14 – Transport information	
			tion 15 – Regulatory information	
	3.16	Sec	tion 16 — Any other relevant information	
Ар	pendi	x 1	Glossary	
Ар	pendi	x 2	Header checklist	
Ар	pendi	х З	GHS label elements for inclusion in the SDS	42
Ар	pendi	x 4	Guide for selecting generic names	104
Ар	pendi	x 5	Other relevant information	115

1 Introduction

1.1 What is a safety data sheet?

A safety data sheet (SDS), previously called a material safety data sheet (MSDS), is a document that provides critical information about hazardous chemicals. For example, an SDS includes information on:

- the chemical's identity and ingredients
- health and physical hazards
- safe handling and storage procedures
- emergency procedures
- disposal considerations.

An SDS is an important tool for assessing and managing the risks associated with the use of hazardous chemicals in workplaces. See Appendix 1 for the definition of 'hazardous chemical' and other terms used in this Code.

1.2 What are the duties in relation to the preparation of safety data sheets?

WHS General Regulations r. 330 WHS Mines Regulations r. 330

Manufacturer or importer to prepare and provide safety data sheets

A manufacturer or importer of a hazardous chemical must prepare an SDS for the hazardous chemical.

Manufacturers and importers of hazardous chemicals have duties under the WHS Regulations to provide current information about the hazardous chemical in the form of an SDS.

Under the WHS Regulations, manufacturers and importers of a substance, mixture or article have an obligation, before first supplying it to a workplace, to determine whether it is a hazardous chemical and, if so, to correctly classify that substance, mixture or article.

The manufacturer or importer of a hazardous chemical must prepare an SDS for the hazardous chemical before first manufacturing or importing the hazardous chemical or if that is not practicable, as soon as practicable after first manufacturing or importing the hazardous chemical and before first supplying it to a workplace.

The manufacturer or importer must review the SDS at least once every five years from the date of original preparation or the last revision of the SDS. The manufacturer or importer must amend the SDS whenever necessary to ensure that the SDS contains correct, current information; for example, whenever any new information about the hazardous chemical is known or received or when the formulation changes.

It is not necessary to review the SDS if the manufacturer or importer has not manufactured or imported the chemical in the last five years.

The manufacturer or importer must also provide the current SDS to any person if the person is likely to be affected by the hazardous chemical and asks for the SDS. The manufacturer or importer is not required to provide the SDS if they have not manufactured or imported the chemical in the last five years.

The person writing the SDS should have appropriate expertise and have access to the product formulation and information on its correct hazard classification.

Note: a person conducting a business or undertaking (PCBU) who packages or relabels a hazardous chemical with their own product name is considered to be a manufacturer and therefore has the same obligations as a manufacturer under the WHS Regulations to prepare an SDS.

A PCBU may change an SDS if they are the manufacturer or importer and the changes are consistent with the duties of the importer or manufacturer. A PCBU who is not the manufacturer or importer may only change an SDS to attach a translation to the SDS and it must be clear that the attachment is not part of the original SDS.

1.3 When is it necessary to prepare a safety data sheet?

WHS General Regulations r. 330

WHS Mines Regulations r. 330

Manufacturer or importer to prepare and provide safety data sheets

An SDS must be prepared before first manufacturing or importing a hazardous chemical, or if this is not possible, as soon as practicable after first manufacturing or importing the chemical and before first supplying it to a workplace.

Almost every hazardous chemical, as defined in the WHS Regulations, needs an SDS under the WHS Regulations. This includes hazardous chemicals that are intended for use as consumer products.

A chemical that is not hazardous does not require a safety data sheet; however, if you intend to prepare an SDS for a non-hazardous chemical it should be prepared in accordance with this Code so far as is reasonably practicable. The definition of hazardous chemical can be found in the glossary at Appendix 1.

While this Code applies to hazardous chemicals as defined in the WHS Regulations, an SDS should also be provided for:

- any chemical that may adversely impact the health or safety of persons or the environment, but has insufficient information to allow it to be correctly classified – the SDS should reflect what is currently known about the chemical
- a mixture which contains an ingredient that meets the criteria for respiratory and skin sensitisation, specific target organ toxicity, reproductive toxicity, carcinogenicity and mutagenicity – it is recommended that an SDS be prepared for that mixture, even if the mixture overall is not a hazardous chemical according to the WHS Regulations
- engineered or manufactured nanomaterials or chemicals containing engineered or manufactured nanomaterials – an SDS should be provided unless there is evidence that the nanomaterials are not hazardous. SA TS ISO 80004-1:2016 Nanotechnologies – Vocabulary core terms provides the following definitions:
 - nanomaterial material with any external dimension in the nanoscale or having internal structure or surface structure in the nanoscale engineered nanomaterial — nanomaterial designed for specific purpose or function
 - manufactured nanomaterial nanomaterial intentionally produced to have selected properties or composition
 - nanoscale length range from approximately 1 nm to 100 nm.

Other information on hazard properties of a chemical not already captured within the SDS should be included; for example, if the chemical has ototoxic properties and can cause damage to the ears. A list of ototoxic substances is provided in the *Code of practice: Managing noise and preventing hearing loss at work.*

Some overseas authorities may require an SDS or information on an SDS for certain chemicals that are not hazardous chemicals under the WHS Regulations; for example, substances that meet the criteria for a <u>Globally Harmonized System of Classification and Labelling of Chemicals</u> (GHS) hazard class or category that has been excluded from the definition of a hazardous chemical in Australia.

It is acceptable to prepare a single SDS for a group of substances, mixtures and articles where it is reasonable to assume that the group will have similar hazardous properties, provided the SDS contains all product identifiers.

1.4 Chemicals that do not require a safety data sheet

Preparing and providing an SDS is mandatory where a substance, mixture or article is a hazardous chemical. However, the WHS Regulations do not require an SDS to be prepared for hazardous chemicals in the following circumstances (although the duty of care requirements under the WHS Act still apply):

- chemicals in batteries while they are incorporated in plant
- fuel, oils or coolants in a container that is fitted to a vehicle, vessel or aircraft, mobile plant, appliance or other device, where the fuel, oils or coolants are intended for use in its operation
- fuel in the fuel container of a domestic or portable fuel burning appliance where the quantity of fuel does not exceed 25 kg or 25 litres
- hazardous chemicals in portable firefighting or medical equipment for use at a workplace
- hazardous chemicals that form part of the integrated refrigeration system of refrigerated freight containers
- potable liquids that are consumer products at retail premises.

The following things do not require an SDS:

- food and beverages within the meaning of the Food Standards Australia New Zealand Food Standards Code that are in a package and form intended for human consumption
- therapeutic goods within the meaning of the *Therapeutic Goods Act 1989* at the point of intentional intake by or administration to humans
- veterinary chemical products within the meaning of the *Agricultural and Veterinary Chemicals Code Act 1994* at the point of administration to animals
- tobacco or products made of tobacco.

Note: that the exemptions described above only apply in the circumstances described. For example, the exemption for therapeutic goods and veterinary chemical products only applies at the point of intentional intake or administration. SDS are required for these products at all other times, such as when they are being stored at a pharmacy or veterinary clinic.

1.5 Classification and labelling of chemicals

WHS General Regulations r. 717 WHS Mines Regulations r. 738 References to GHS

WHS General Regulations Schedule 6 WHS Mines Regulations Schedule 6 Classification of mixtures

The WHS Regulations implement a system of chemical hazard classification, labelling and SDS requirements based on the 7th revised edition of the <u>Globally Harmonized System of</u> <u>Classification and Labelling of Chemicals</u> (GHS), as modified by Schedule 6 of the WHS Regulations. The GHS is the basis of the system used for preparing labels and SDS in Australia, and also sets out the criteria used to determine if a chemical is hazardous.

In Western Australia, transition to the 7th revised edition of the GHS (GHS 7) ends on 30 March 2023. During the transition, manufacturers and importers may use either GHS 3rd edition (GHS 3) or GHS 7 to prepare classifications, labels and safety data sheets for hazardous chemicals. From 31 March 2023, only GHS 7 may be used. During the transition, suppliers and users of hazardous chemicals may continue to supply and use chemicals classified and labelled under GHS 3. However, suppliers and users of hazardous chemicals should not supply or receive stock manufactured or imported after 30 March 2023 if it does not have an up-to-date label or SDS under GHS 7.

2 Preparing, reviewing and amending safety data sheets

An SDS must be prepared and written to provide accurate information about:

- the hazards of a chemical
- how to handle the chemical safely, including its storage and disposal
- the chemical's physical and chemical properties
- potential first aid and emergency response measures.

The SDS should also contain information about effects it may have on the environment.

2.1 What information is needed in an SDS?

WHS General Regulations Schedule 7(1) WHS Mines Regulations Schedule 7(1) Safety data sheets – content

An SDS must:

- be in English
- contain unit measures expressed in Australian legal units of measurement under the *National Measurement Act 1960* (Cth)
- state the date it was last reviewed, or if it has not been reviewed, the date it was prepared
- state the name, Australian address and business telephone number of the manufacturer or the importer
- state an Australian business telephone number from which information about the chemical can be obtained in an emergency.

The language used in an SDS should be simple, clear and precise, avoiding jargon, acronyms and abbreviations. Vague and misleading expressions should not be used. Phrases such as 'may be dangerous', 'no health effects', 'safe under most conditions of use' and 'harmless' are also not recommended. It may be that information on certain properties is of no significance or that it is technically impossible to provide detailed information, and if so, the reasons for this should be clearly stated under each heading. If it is stated that a particular hazard does not exist, the SDS should clearly differentiate between cases where no information is available to the classifier and cases where negative test results are available.

Other units of measurement, including the International System of Units (SI) or non-SI units may be used if they are in wide use in Australia. For example, mm Hg for vapour pressure or degrees Celsius (°C) rather than Kelvin (K) for temperature can be used.

An SDS should include a version number, superseded date or some other indication of what version is replaced.

There is no limit in relation to the length of the document, but it should be proportionate to the hazard level of the chemical and the available information.

All pages of an SDS should be numbered and include an indication of the end of the SDS; for example, 'Page 1 of 3'. Alternatively, number each page and indicate whether there is a page following; for example, 'Continued on next page' or 'End of SDS'.

A safety data sheet for a hazardous chemical must state the following information about the chemical:

- Section 1 Identification
- Section 2 Hazard(s) identification
- Section 3 Composition and information on ingredients
- Section 4 First aid measures
- Section 5 Firefighting measures
- Section 6 Accidental release measures
- Section 7 Handling and storage
- Section 8 Exposure controls and personal protection
- Section 9 Physical and chemical properties
- Section 10 Stability and reactivity
- Section 11 Toxicological information
- Section 12 Ecological information
- Section 13 Disposal considerations
- Section 14 Transport information
- Section 15 Regulatory information
- Section 16 Any other relevant information.

Chapter 3 of this Code contains further guidance about the information that should be included in the SDS, where relevant and available to the manufacturer or importer. A reasonable attempt should be made to obtain the information, however, when information is not available or lacking, this should be clearly stated. The SDS should not contain any blank spaces or abbreviations without a legend.

Any recommendation made by the Australian Industrial Chemicals Introduction Scheme (AICIS) – known as the National Industrial Chemicals Notification and Assessment Scheme (NICNAS) until August 2022 – in a relevant assessment report relating to the information required in an SDS should be reviewed and considered for inclusion.

Information to protect the health and safety of persons at the workplace may be included on the SDS for chemicals that do not meet the GHS classification criteria; for example, some miscellaneous dangerous goods (identified in the *Australian Code for the Transport of Dangerous Goods by Road and Rail* (the ADG Code)). An example of this in relation to the health and safety information in the SDS for dry ice could be to include recommendations within Section 7 Handling and Storage to use gloves while handling the hazardous chemical, instructions not to use it in enclosed spaces and to ensure that there is adequate ventilation.

2.2 Research chemicals, waste products or samples for analysis

WHS General Regulations Schedule 7(2) WHS Mines Regulations Schedule 7(2) Safety data sheets – Research chemical, waste product or sample for analysis

Where it is not reasonably practicable to comply with the WHS Regulations to prepare an SDS for a chemical that is a research chemical, waste product or a sample for analysis because the hazard properties are not fully known, then an acceptable SDS is one that:

- is written in English
- states the name, Australian address and business telephone number of the manufacturer or importer
- states that full identification or hazard information is not available for the chemical, and in the absence of such information a precautionary approach must be taken to handling or storing the chemical
- states the chemical identity or structure of the chemical, or chemical composition, as far as is reasonably practicable
- states any known or suspected hazards
- states any precautions that must be taken in using, handling or storing the chemical, to the extent such precautions have been identified.

2.3 Can an SDS prepared overseas be used?

An SDS prepared by an overseas manufacturer or supplier is acceptable only if it is prepared in accordance with the WHS Regulations. Unless an SDS has been prepared specifically for use in Australia it is unlikely it will meet all the requirements of the WHS Regulations, which require information specific to the chemical's use in Australia. For example, the contact details of the Australian manufacturer or importer of the hazardous chemical.

If the overseas manufacturer's SDS does not comply with the requirements of the WHS Regulations, the importer will be responsible for preparing an SDS that does comply. Section 3.1 of this Code details what information is required to be included in an SDS for it to be is compliant with the WHS Regulations. The importer should check each section of the overseas manufacturer's SDS against the Australian requirements to ensure it is correct.

2.4 Reviewing and amending an SDS

WHS General Regulations r. 330 WHS Mines Regulations r. 330 Manufacturer or importer to prepare and provide safety data sheets

The manufacturer or importer must review the SDS at least once every five years from the date of original preparation or the last revision of the SDS. The manufacturer or importer must amend the SDS whenever necessary to ensure that the SDS contains correct, current information; for example, whenever any new information about the hazardous chemical is known or received or when the formulation changes.

It is not necessary to review the SDS if the manufacturer or importer has not manufactured or imported the chemical in the last five years.

An SDS should still be made available after the hazardous chemical is withdrawn from sale as it may be required by workplaces at a later date.

It is acceptable to have a translation of the SDS attached to the original SDS, provided the appended information clearly states the translation is not part of the original SDS. The original SDS is the SDS prepared in accordance with the WHS Regulations.

3 Content of the safety data sheet

This chapter describes the type of information needed for each of the sections required in an SDS. A summary of this information is provided in a checklist at Appendix 2.

3.1 Section 1 – Identification

WHS General Regulations Schedule 7(1) WHS Mines Regulations Schedule 7(1) Safety data sheets – content

This section of the SDS provides information about the identification of the hazardous chemical, recommended uses and the contact details of the Australian manufacturer or importer, including an emergency contact.

Term	Description
Product identifier	The SDS must include the product identifier of the hazardous chemical, exactly as found on the label. If one generic SDS is used to cover several minor variants of a hazardous chemical, all product identifiers must be listed on the SDS.
Other means of identification	The hazardous chemical must be identified by its product identifier or chemical identity. The SDS should include any company product codes, numbers or other unique identifiers; for example, a proper shipping name (as identified in the ADG Code), or a name specified in the Standard for the uniform scheduling of medicines and poisons (SUSMP). Other names or synonyms by which the hazardous chemical is labelled or commonly known should also be provided in this section.

Tabla 1	Contant of Soction	1	of the	cofoty	data	choot
I able I	Content of Section	1	UI LITE	Salely	uala	SHEEL

Term	Description			
Recommended use of the chemical and restrictions on use	The recommended or intended use of the hazardous chemical should be provided in this section. This includes a brief description of what the chemical does; for example, a flame retardant or anti- oxidant. Restrictions on use should be stated as far as known; for example, if the chemical is a prohibited carcinogen, an illicit drug precursor, or a chemical of security concern.			
	'Prohibited carcinogen' is defined in the WHS Regulations and listed in Schedule 10 of the WHS Regulations.			
	'Illicit drug precursors' are controlled under various state and territory governments' legislation. Please see the <i>Code of practice for</i> <i>Supply Diversion into Illicit Drug Manufacture</i> published by Chemistry Australia.			
	'Chemical of security concern' means one of the chemicals listed in the <i>National Code of practice for chemicals of security concern</i> published by Australian National Security.			
	Note: this is not a comprehensive list of the restrictions that may apply to a hazardous chemical.			
Details of manufacturer or importer	The name, Australian address and business telephone number of the Australian manufacturer or importer must be included in the SDS.			
Emergency phone number	The SDS must include Australian emergency contact information. The emergency information available through this service should be available outside working hours.			
	If an emergency information service or poisons information centre phone number is provided in the SDS, this arrangement should be confirmed with the service beforehand and copies of the SDS should be provided to them. The poisons information centre may require additional information such as a full list of any ingredients not included in the SDS.			

3.2 Section 2 – Hazard(s) identification

WHS General Regulations Schedule 7(1) WHS Mines Regulations Schedule 7(1) Safety data sheets – content

This section of the SDS describes the hazards of the chemical and the appropriate warning information associated with the hazards. The information provided here must include a hazard classification statement explaining all the hazards of the hazardous chemical, as described below. Appendix 3 lists the GHS signal words, pictograms, hazard statements and precautionary statements that apply to each GHS hazard class and category.

Classification of the hazardous chemical

If the hazardous chemical is classified in accordance with the GHS, the appropriate hazard class and category should be indicated; for example:

- Flammable liquid Category 1
- Acute toxicity oral Category 3.

Although it is not mandatory under the WHS Regulations, an SDS may provide information on environmental hazards and other GHS hazard classes and categories that are outside the scope of the WHS Regulations; for example, 'Acute toxicity — oral — Category 5'.

Label elements, including precautionary statements

The following labelling elements should be included in accordance with the hazardous chemicals classification:

- Signal word
- Hazard statement(s)
- Precautionary statement(s).

Additionally, Appendix 3 includes 12 non-GHS hazard statements that should be included on the SDS, where relevant.

It is not mandatory to include pictograms (or hazard symbols) in an SDS. However, these symbols may be included in this section as graphical reproductions in black and white. This allows for the distribution of an SDS with ease via hard copy or through a database.

Persons preparing an SDS can download the GHS pictograms from the United Nations Economic Commission for Europe (UNECE) website. Pictograms should meet the size specification (>1x1 cm² and <2x2 cm) to avoid stretching or having oversized pictograms on the SDS.



The name of the pictogram should also be provided. These are defined in the tables in Appendix 3 (for example, flame, skull and crossbones).

Dangerous goods class labels may also be used. However, graphical elements do not need be duplicated.

3.3 Section 3 – Composition and information on ingredients

WHS General Regulations Schedule 8 WHS Mines Regulations Schedule 8 Disclosure of ingredients in safety data sheet

The ingredient(s) of the hazardous chemical must be identified. This includes the identification of impurities and stabilising additives that contribute to the classification of the hazardous chemical.

Disclosure of ingredient names

The chemical identity of an ingredient must be disclosed on an SDS in accordance with Schedule 8 of the WHS Regulations. In some cases, a generic name may be used.

Ingredients that are not classified as hazardous but have an exposure standard and which constitute more than 1% of the mixture should be mentioned in the SDS if it is likely that they might be released under standard storage and application conditions.

Disclosure of ingredient names is not required by the WHS Regulations for those ingredients that meet only physical and/or environmental hazard classifications, or for non-hazardous ingredients.

There is no requirement to disclose the identity of ingredients for the following GHS health hazard categories because they fall outside the scope of the WHS Regulations:

- Acute toxicity Category 5 (oral, dermal and inhalation)
- Skin corrosion/irritation Category 3
- Aspiration hazard Category 2
- Aquatic toxicity (all categories)
- Flammable gas Category 2
- Ozone depletion.

Use of generic names

Generic names may be used in an SDS if the identity of an ingredient is genuinely commercially confidential, and if:

- the ingredient is in any of the following health hazard categories:
 - Acute toxicity Category 4 (oral, dermal, inhalation)
 - Aspiration hazard Category 1
 - Serious eye damage/eye irritation Category 2/2
 - Skin corrosion/irritation Category 2
 - Specific target organ toxicity (single exposure) Category 3
- the ingredient does not cause the correct classification of the hazardous chemical to include any other hazard class or category
- an exposure standard for the ingredient has not been established.

The use of generic names is an Australia-specific part of the SDS and is not necessarily applicable in other countries. An SDS prepared for export products must comply with relevant legislation of the export country.

A guide for selecting generic names for ingredients is included in Appendix 4.

Disclosure of proportions of ingredients

Where the chemical identity or generic name of an ingredient that makes up a hazardous chemical is disclosed, the proportions of the ingredients must also be disclosed in an SDS.

For multiple ingredients, proportions should be listed in descending order by mass or volume. Ingredients not contributing to the hazard classification should also be listed and, where included, should be listed after the ingredients contributing to the hazard classification. However, where the exact concentration of an ingredient is commercially confidential, the concentration of the ingredient can be disclosed using the following ranges:

- <10%
- 10-<30%
- 30-60%
- >60%.

The proportion of an ingredient should normally be disclosed using a narrower range; for example, for an ingredient present at 35%, a range of 30-40% should be used instead of 30-60%.

Where possible, the percentage composition should add up to or indicate a total of 100%, even if an estimate of non-hazardous ingredients needs to be provided.

3.4 Section 4 – First aid measures

WHS General Regulations Schedule 7(1) WHS Mines Regulations Schedule 7(1) Safety data sheets – content

This section of the SDS provides information about the initial care (that does not involve the use of sophisticated equipment or access to a wide selection of medications) to be given to a person affected by a hazardous chemical. It should state whether medical attention is required for a chemical, including the urgency of treatment required.

An SDS should provide information on any immediate effects of the chemical, by route of exposure, and the immediate treatment required. It should also include information on the possible delayed effects of the chemical and on specific health monitoring that may be needed.

Table 2Section 4 of the SDS: First aid measures

Term	Description
Description of necessary first aid measures	In this section, the SDS should provide first aid instructions for each relevant route of exposure and describe expected immediate and delayed symptoms. Sub-headings to indicate the procedure for each route (e.g. inhalation, skin contact, eye contact and ingestion) should be used.
	Information should be provided on situations when:
	 immediate medical attention is required known antidotes should be available for administration by persons trained in their use (and, where relevant, authorised by law) as part of the recommended first aid procedure delayed effects can be expected after exposure movement of the exposed individual to fresh air is recommended removal of clothing and shoes from the individual is recommended personal protective equipment (PPE) for first aiders is recommended there is a risk that first aiders may be exposed to risks from individuals who have ingested hazardous chemicals (for example, organophosphates).
	hazardous chemical is used, should also be provided.
Symptoms caused by exposure	Relevant information on the most important symptoms and effects of exposure to the chemical should be provided. Information should be provided on acute, delayed and aggravated medical conditions caused by the hazardous chemical to enable first aid to be administered.
Medical attention and special treatment	If applicable, information on clinical testing and medical monitoring for delayed effects, specific details on antidotes (where they are known) and contraindications are recommended for inclusion in this section.

3.5 Section 5 – Firefighting measures

WHS General Regulations Schedule 7(1) WHS Mines Regulations Schedule 7(1) Safety data sheets – content

This section of the SDS provides information on how to fight a fire caused by a hazardous chemical, or a fire arising in its vicinity.

Term	Description			
Suitable	This SDS should describe:			
extinguishing equipment	 the type of extinguishers or firefighting agents needed for extinguishing a fire whether any extinguishers are unsuitable for a particular situation 			
	involving the hazardous chemical.			
Specific hazards arising from the chemical	The SDS should describe any specific hazards that may arise from a hazardous chemical relevant to its physical properties, such as explosive properties or hazardous combustion products that may be generated when the hazardous chemical burns; for example:			
	• 'May produce toxic fumes; for example, carbon monoxide if burning'			
	 'Produces oxides of sulphur and nitrogen on combustion' 'May produce flammable gas if wet'.			
Special protective equipment and precautions for firefighters	Advice should be provided on any precautions to be taken during firefighting and advice on appropriate personal protective equipment (PPE) required for firefighters; for example, 'Keep containers cool with water spray'; wear specific boots, overalls, gloves, eye and face protection, and breathing apparatus.			
	The Hazchem Code should be included in this section for the information of emergency services. The Hazchem Code for bulk dangerous goods provides information on the firefighting medium to be used; for example, whether water should be used as a firefighting agent, as this will be the first response of firefighters. The Hazchem Code includes information on PPE, the risk of violent reaction or explosion, spillage action and whether evacuation should be considered in the event of an incident with the material.			

Table 3 Section 5 of the SDS: Firefighting measures

3.6 Section 6 – Accidental release measures

WHS General Regulations Schedule 7(1) WHS Mines Regulations Schedule 7(1) Safety data sheets – content

This section of the SDS provides information on the appropriate ways to respond to the release of chemicals, in the form of spills, leaks or other accidental release. This is so that the adverse effects on people, property and the environment at or near the workplace can be prevented or minimised. This information should distinguish between responses for large and small spills where the spill volume has a significant impact on the hazard or response.

Table 4	Section 6 of the SDS: Accidental release measures
---------	---

Term	Description
Personal precautions,	The SDS should provide the following advice on a spill or release of a hazardous chemical:
protective equipment and emergency procedures	 the use of suitable equipment (including PPE) to prevent contamination of skin, eyes and personal clothing the removal of ignition sources and provision of sufficient ventilation
	• emergency procedures; for example, the need to evacuate the danger area or to consult an expert.
Environmental precautions	Contamination of the environment can give rise to indirect human chemical exposures within and outside the workplace. The SDS should provide advice on precautions related to accidental spills and releases of the hazardous chemical into the environment; for example, keeping away from drains and surface and ground water.

Term	Description
Methods and materials for	The SDS should include advice on how to contain and clean up a spill. Appropriate containment techniques may include:
containment and cleaning up	 bunding (in the event of any leak or spillage from tanks or pipe work, a bund should capture the volume of liquids held and drain to a capture tank with facilities for water/oil separation) covering of drains capping procedures (providing a cover or protection; for example, to prove the providing a cover or protection; for example,
	to prevent damage or spillage). Appropriate clean-up procedures may include:
	 neutralisation techniques decontamination techniques adsorbent materials cleaning techniques vacuuming techniques equipment required for containment/clean up (includes the use of non-sparking tools and equipment where applicable). Recommended clean-up procedures should also take into account disposal considerations under 'Section 13 – Disposal considerations' of the SDS.

3.7 Section 7 – Handling and storage

WHS General Regulations Schedule 7(1) WHS Mines Regulations Schedule 7(1) Safety data sheets – content

This section of the SDS provides guidance on safe handling and storage practices to minimise the risks of release and exposure to the hazardous chemical. These precautions should be appropriate to the intended use of the chemical and its unique properties.

Precautions for safe handling

Information should be provided to:

- allow for the safe handling of the hazardous chemical; for example, avoiding spills
- prevent inappropriate handling of incompatible hazardous chemicals
- minimise the release of the hazardous chemical outside of the workplace.

Information on how the chemical may be safely used must be provided.

General warnings on what practices to avoid or restrict should also be included in this section. This information is in addition to other hazard control measures in 'Section 8 – Exposure controls and personal protection' of the SDS.

Section 7 should also provide advice on general hygiene requirements; for example:

- 'Eating, drinking and smoking in work areas is prohibited'
- 'Wash hands after use'
- 'Remove contaminated clothing and protective equipment before entering eating areas'.

Conditions for safe storage, including any incompatibilities

This section should include advice consistent with the physical and chemical properties of a hazardous chemical referred to other sections of the SDS ('Section 9 – Physical and chemical properties' and 'Section 10 – Stability and reactivity'). Advice should be provided on specific storage requirements, including:

- how to avoid:
 - explosive atmospheres
 - corrosive conditions
 - flammability hazards
 - incompatible substances or mixtures
 - evaporative conditions
 - potential ignition sources (including electrical equipment).
- how to control the effects of:
 - weather conditions
 - ambient pressure
 - temperature
 - sunlight
 - humidity
 - vibration.
- how to maintain the integrity of the hazardous chemical by the use of:
 - stabilisers
 - anti-oxidants
 - temperature control.
- other advice on:
 - ventilation requirements for storage facilities
 - specific designs for storage rooms/vessels
 - quantity limits under storage conditions
 - packaging compatibilities
 - warnings if water should not be used as a firefighting agent; for example: 'Ensure that firefighting water cannot reach water-sensitive chemicals and if necessary provide protective cabinets with appropriate labelling'.

3.8 Section 8 – Exposure controls and personal protection

WHS General Regulations Schedule 7(1) WHS Mines Regulations Schedule 7(1) Safety data sheets – content

This section provides guidance on how to eliminate or minimise risks associated with exposure to hazardous chemicals. 'Exposure control' means the full range of specific protection measures (including engineering control measures) to be taken during the use of a hazardous chemical in order to minimise personal exposure to the chemical.

Exposure control measures

The SDS should include advice on what measures should be taken to minimise exposure to hazardous chemicals and to keep exposure below the relevant exposure standard. Exposure standards represent airborne concentrations of individual substances which, according to current knowledge, should neither impair the health of, nor cause undue discomfort to, nearly all workers. These substances are required to be controlled to reduce the risk of exposure of workers and other persons to below the exposure standard, so far as is reasonably practicable.

Exposure standards are generally expressed as a time-weighted average (TWA), which is the average airborne concentration of a particular substance permitted over an eight-hour working day and a five-day working week. Short term exposure limits (STEL) and peak limitations should also be specified where available.

This section should list the available exposure standards, including all notations, for each hazardous chemical ingredient. If additional air contaminants are generated when using the hazardous chemical as intended, exposure standards for these should also be listed.

If there are no Australian exposure standards or occupational exposure limits, overseas standards should be used. Examples of overseas standards or limits include those of the Health and Safety Executive (HSE) in Great Britain, American Conference of Governmental Industrial Hygienists (ACGIH) or the German Deutsche Forschungsgemeinschaft (DFG).

Regardless of the exposure standard (if any), this section should describe controls to be implemented in a workplace to eliminate or minimise personal exposure.

Exposure standards are reviewed from time to time and therefore an up-to-date record of exposure standards should be consulted. Safe Work Australia (SWA) publishes the <u>Workplace</u> <u>Exposure Standards for Airborne Contaminants</u>. A list of Australian exposure standards is also available on SWA's Hazardous Chemicals Information System (HCIS).

Biological monitoring

Biological monitoring can assist in the detection and estimation of absorption of the hazardous chemical; for example, by skin, gastrointestinal system or inhalation. The effects of some hazardous chemicals used in the workplace must be monitored through biological monitoring. The SDS should detail the monitoring needed for a hazardous chemical.

This section of the SDS should also list known or recognised safe biological levels (in some countries these are known as biological limit values, biological exposure indices, or biological exposure standards) where available, including notations for a hazardous chemical or for each ingredient of a mixture.

The source of the biological levels should be stated on the SDS. When biological levels are listed, they should use the chemical identity as specified in section 3.3 of this Code.

Control banding

Control banding is a process used in some countries where a hazardous chemical is assigned to a band, based on the chemical's hazard classification and use. Each band may have a different control solution; for example: band 1 - good industrial hygiene practice, band 2 - use local exhaust ventilation, band 3 - enclose the process.

If the control banding approach is recommended in the SDS to provide protection in relation to specific uses of the hazardous chemical, then sufficient detail should be given to enable effective management of risks. The context and limitations of the specific control banding recommendation should be made clear.

Engineering controls

The SDS should include a description of appropriate engineering control measures relating to the intended use of the hazardous chemical. This section should indicate when special engineering controls are necessary, and specify which controls are required; for example:

- 'Maintain air concentration below occupational exposure standards, using engineering controls if necessary'
- 'Use only in a well-ventilated area'
- 'Use local exhaust ventilation'
- 'Use only in an enclosed system'
- 'Use only in spray-paint booth or enclosure'
- 'Use mechanical handling to reduce human contact with materials'
- 'Use explosive dust handling controls'.

The information in this section should complement that provided in 'Section 7 - Handling and storage' of the SDS.

Individual protection measures; for example personal protective equipment (PPE)

Consistent with the hierarchy of controls, PPE should be used only when other control measures (for example, elimination, substitution, isolation, engineering controls) have been found to be impracticable or in conjunction with one or more control measures. This section of the SDS should include information on PPE provided that it clearly recommends other controls to minimise exposure to the hazardous chemical.

Consideration should be given to the possible reduction in effectiveness of PPE and possible detrimental effects of hazardous chemicals on some materials from which items of PPE may be made; for example, the use of synthetic clothing for protection against corrosive hazardous chemicals.

Eye and face protection

Information should be provided on eye and face protection needed for a hazardous chemical. It is important to specify:

- the type of eye protection required; for example safety glasses, goggles or face shields
- the properties of the eye protection required based on the hazard of the chemical and potential for contact; for example the degree of impact protection or splash resistance.

Skin protection

Information should be included on the skin protection required for a hazardous chemical. It is important to specify:

- the protective equipment to be worn when using or handling the hazardous chemical including the types of gloves, boots and bodysuits required
- the properties of the protective equipment based on the hazard of the chemical and potential for contact; for example cotton, PVC or nitrile.

Respiratory protection

If respiratory protection is needed for a hazardous chemical, the SDS should include information on the appropriate types of respiratory protection based on the chemical hazard and potential for exposure; for example, air-purifying respirators requiring specific respiration filters, air-line respirator or breathing apparatus. Where appropriate, a reference to a standard should be included.

Vague information — for example, 'use respirator' — is not helpful and should be avoided, whereas information such as 'use half-face filter respirator suitable for organic vapours' is far more useful.

Thermal hazards

The SDS should include information on the PPE required for thermal hazards. Special consideration should be given to the materials of the PPE to avoid adding to the thermal load of the wearer. Information on any secondary risk should also be included here.

See also section 3.5 of this Code for specific fire/chemical PPE advice.

3.9 Section 9 – Physical and chemical properties

WHS General Regulations Schedule 7(1) WHS Mines Regulations Schedule 7(1) Safety data sheets – content

This section of the SDS describes the physical and chemical properties of a hazardous chemical. The data should apply to the hazardous chemical as supplied. If the hazardous chemical is a mixture, the physical and chemical data should describe the mixture. If that information is not available, the properties of the most relevant ingredients should be provided.

The following properties should be included in the SDS where relevant and the appropriate units of measure and/or reference conditions should be specified:

- physical state
- colour
- odour
- melting point/freezing point
- boiling point or initial boiling point and boiling range
- flammability
- lower and upper explosion limit/flammability limit
- flash point

- Auto-ignition temperature
- decomposition temperature
- pH
- kinematic viscosity
- solubility
- partition coefficient: n-octanol/water (log value)
- vapour pressure
- density and/or relative density
- relative vapour density
- particle characteristics.

If relevant, the interpretation of the numeric value and the method of the determination should also be provided. Where there is no information about specific characteristics or data available, a statement should be included to that effect. It may confuse the reader if the SDS includes blank spaces or uses the term 'N/A' for physical and chemical properties, so this should be avoided.

In addition to those listed above, other physical or chemical parameters relevant to health and safety should be included in this section of the SDS. This includes parameters which, in addition to chemistry, can significantly influence the properties of chemicals; for example, size or surface area in the case of engineered nanomaterials. Examples of parameters which may be included are:

- biodurability or biopersistence
- crystallinity
- degree of aggregation or agglomeration, and dispersibility
- dustiness
- particle size (average and range)
- redox potential
- release of invisible flammable vapours and gases
- saturated vapour concentration (include reference temperatures)
- shape and aspect ratio
- size distribution
- specific heat value
- surface area
- surface coating or chemistry (if different to rest of particle).

The GHS also recommends additional physical properties be included in the SDS for some hazard classes. These additional physical properties can be found in Appendix 4 of the GHS.

3.10 Section 10 – Stability and reactivity

WHS General Regulations Schedule 7(1) WHS Mines Regulations Schedule 7(1) Safety data sheets – content

This section of the SDS provides information regarding the stability and reactivity of the hazardous chemical. Information on the possibility of hazardous reactions is necessary to ensure the safe handling and storage of chemicals and to ensure effective firefighting and spill control measures.

Reactivity

This section should describe the reactivity hazards of the chemical, including the conditions under which the hazardous reactions may occur; for example:

- whether the hazardous chemical will react or polymerise
- flame propagation or burning rate of solid materials
- properties of both flammable and non-flammable materials that may initiate or add to the intensity of a fire
- potential for dust explosion
- reactions that release flammable or toxic gases or vapours
- fast or intensely burning characteristics
- non-flammables that could contribute unusual hazards to a fire; for example strong oxidising and reducing agents or peroxide fumes.

Specific test data should be provided for the hazardous chemical as a whole, where available. However, the information may also be based on general data for the class or family of chemical if such data adequately represents the anticipated hazard of the hazardous chemical.

If data for mixtures is not available, ingredient data should be provided. In determining incompatibility, the substances, containers and contaminants that the hazardous chemical might be exposed to during transportation, storage and use should be considered.

Chemical stability

Information should be provided on the stability of the hazardous chemical under normal ambient storage and handling conditions. Consider any foreseeable changes in temperature and pressure conditions. Any stabilisers used to maintain the product should be described, as well as the safety implications of any change in the physical appearance of the product which may result if the stabiliser is compromised.

Possibility of hazardous reactions

If relevant, the SDS should state if a hazardous chemical will react or polymerise, releasing excess pressure or heat, or create other hazardous conditions. It should describe under what conditions a hazardous reaction may occur.

Conditions to avoid

Information should include conditions — for example, temperature, pressure, shock, static discharge, vibrations or other physical stresses — that might cause a hazardous reaction.

Incompatible materials

Classes of chemicals or specific substances with which the hazardous chemical could react to produce a hazardous situation should be listed in the SDS; for example, explosion, excessive heat generation, release of toxic or flammable materials.

Hazardous decomposition products

The SDS should list any hazardous products that may be produced due to the decomposition of the chemical during use, storage or heating. The anticipated outcomes of a reaction with another material should be described, including the production of flammable, toxic or asphyxiating gases. Advice should be provided about what should be done if an unstable state is reached.

Hazardous combustion products should be included in 'Section 5 - Firefighting measures' of the SDS.

3.11 Section 11 – Toxicological information

WHS General Regulations Schedule 7(1) WHS Mines Regulations Schedule 7(1) Safety data sheets – content

This section of the SDS provides toxicological information relevant to the health hazard category assigned to the chemical using the GHS. It should be based on expert toxicological advice and on the toxicological hazards information provided in the GHS classification criteria. A concise but complete and comprehensible description of the various toxicological health effects (for both acute and chronic effects) consistent with the hazard classification, and the available data used to identify those effects, should be provided. The relevant hazards for which data should be provided are (in the following order):

- acute toxicity
- skin corrosion/irritation
- serious eye damage/irritation
- respiratory or skin sensitisation
- germ cell mutagenicity
- carcinogenicity
- reproductive toxicity
- specific target organ toxicity (STOT) single exposure
- specific target organ toxicity (STOT) repeated exposure
- aspiration hazard.

Information on these hazards should be presented in the above order in each SDS. Other nonclassifiable hazards may also be included; for example, some chemicals, such as dimethyl sulphoxide, readily penetrate the skin and may increase skin absorption of other toxins. Information should also be provided on whether potential exposure to the hazardous chemical has immediate or delayed health effects.

If data for any of these hazards is not available, they should still be listed, with a statement that data is not available.

The toxicological data should apply to the hazardous chemical as used in the workplace. It should be relevant to the mixture. Where information on the mixture is not available, then information on the toxicological properties of the hazardous ingredients above the concentration cut-off in the mixture should be provided. If there is no data on a mixture but sufficient data exists on the components of the mixture or similar mixtures, bridging principles can be used to provide information. The type of bridging principles used should also be stated.

The health effects included in the SDS should be consistent with those described in studies used for the classification of the hazardous chemical. General statements — for example, 'Toxic' or 'Safe if properly used' — with no supporting data are not acceptable as they may be misleading and do not provide a description of health effects. Phrases such as 'not applicable' and 'not relevant', or leaving blank spaces in the health effects section, can lead to confusion and misunderstanding and should not be used. Where information on health effects is not available, this should be clearly stated.

Health effects should be described accurately and relevant distinctions made. For example, 'allergic contact dermatitis' and 'irritant contact dermatitis' should be distinguished from each other.

Where there is a substantial amount of test data on the hazardous chemical, the results should be summarised; for example by grouping toxicological data by the route of exposure.

Information should also be provided on the relevant negative data. Information to support negative test results should be included; for example 'carcinogenicity studies in the rat have shown no significant increase in the incidence of cancer'.

Information on possible routes of exposure

Information should be provided on the possible routes of exposure and the effects of the hazardous chemical via each route of exposure, that is, through ingestion (swallowing), inhalation or skin/eye exposure. A statement should be made if health effects are not known. Statements such as 'Ingestion is not expected to occur' or 'Ingestion should be avoided' are not acceptable.

Information on all routes of exposure should be provided as it is not possible to predict how a chemical will be used in a workplace or the most likely exposure route.

Early onset symptoms related to exposure

Information should be provided on early symptoms associated with exposure to the hazardous chemical, its ingredients or known by-products. Information should include the symptoms related to the physical, chemical and toxicological characteristics of the hazardous chemical following exposure related to the intended uses. This section should describe the first symptoms at the lowest exposures through to the consequences of severe exposure; for example, 'Headaches and dizziness may occur, proceeding to fainting or unconsciousness; large doses may result in coma and death'.

Delayed health effects from exposure

Information should be provided on whether delayed or immediate effects can be expected after short or long-term exposure consistent with the classification of the chemical. Information should include acute and chronic health effects relating to human exposure to the hazardous chemical.

Where human data is not available, animal data should be summarised and the species clearly identified. The SDS should indicate whether toxicological data is based on human or animal data. Classifications or studies from government or international agencies may be used; for example, 'Has been classified as a probable human carcinogen by the International Agency for Research on Cancer (IARC)'. Where data on chronic effects is not available, it is recommended that the SDS take a precautionary approach to health effects from exposure.

Exposure levels and health effects

The SDS should provide information on the dose, concentration or conditions of exposure that may cause adverse health effects. Where appropriate, doses should be linked to symptoms and effects, including the period of exposure likely to cause harm. For example, '10 ppm respiratory irritation, 250–300 ppm difficulty in breathing, 500 ppm unconsciousness leading to death after 30 minutes'. Where exposure levels are not known, the SDS should take a precautionary approach to exposure levels or include links to potential health effects, if available.

Interactive effects

If known, information on interactions should be included in situations where:

- symptoms are worsened by drinking alcohol, taking medication or smoking
- pre-existing medical conditions for example, asthma, high blood pressure or a predisposition to allergic reactions may increase risk.

When specific chemical data is not available

Where there is insufficient data to classify a chemical, testing may be required. However, it may not always be possible to obtain information on the hazards of a chemical. In cases where data on the specific hazardous chemical is not available, data on the chemical functional group, if appropriate, should be used. Where generic data is used or where data is not available, this should be stated clearly in the SDS.

Mixtures of chemicals

If a mixture has not been tested for its health effects as a whole, then information must be provided on each ingredient listed under 'Section 3 - Composition and information on ingredients' of the SDS.

Ingredients may interact with each other in the body resulting in different rates of absorption, metabolism and excretion. As a result, the toxic actions may be altered and the overall toxicity of the mixture may be different from its ingredients.

This section should advise whether the concentration of each ingredient is sufficient to contribute to the overall health effects of the mixture. The information on toxic effects should be presented for each ingredient, except:

• if the information is duplicated, in which case it is not necessary to list this more than once (for example, if two ingredients both cause vomiting and diarrhoea, the mixture should be described overall as causing vomiting and diarrhoea)

• if it is unlikely that these effects will occur at the concentrations present (for example, when a mild irritant is diluted in a non-irritating solution, the overall mixture would be unlikely to cause irritation).

Predicting the interactions between ingredients is difficult where information on interactions is not available. However, assumptions should not be made. Instead, the SDS should list the health effects of each ingredient separately

Other information

It is recommended that other relevant information on adverse health effects be included, even when the hazards are outside the scope of the GHS.

3.12 Section 12 – Ecological information

WHS General Regulations Schedule 7(1) WHS Mines Regulations Schedule 7(1) Safety data sheets – content

This section of the SDS provides information about the environmental and ecological hazards of hazardous chemicals. This information can assist in handling spills and evaluating waste treatment practices and should clearly indicate species, media, units, test duration and test conditions. Where information is not available, this should also be stated.

Ecological information should be given for each ingredient, where available and appropriate.

Ecotoxicity

Information on ecotoxicity should be provided using data from tests performed on aquatic and/or terrestrial organisms. This should include relevant available data on both acute and chronic aquatic toxicity for fish, crustaceans, algae and other aquatic plants. In addition, toxicity data on other organisms (including soil micro and macro-organisms); for example, birds, bees and plants, should be included when available. Where the hazardous chemical has inhibitory effects on the activity of micro-organisms, the possible impact on sewage treatment plants should be mentioned.

Persistence and degradability

Persistence and degradability relate to the potential for the hazardous chemical (or hazardous ingredients of a mixture) to degrade in the environment, either through biodegradation or other processes; for example, oxidation or hydrolysis. Test results relevant to assess persistence and degradability should be given where available. If degradation half-lives are quoted an indication of whether these half-lives refer to mineralisation or to primary degradation should be provided. The potential for the hazardous chemical (or hazardous ingredients of a mixture) to degrade in sewage treatment plants may also be mentioned.

Bioaccumulative potential

Bioaccumulation is the potential for the hazardous chemical (or hazardous ingredients of a mixture) to accumulate in biota and possibly pass through the food chain. Test results relevant to assess the bioaccumulative potential should be given. This may include reference to the octanol-water partition coefficient (K_{ow}) and bioconcentration factor (BCF), if available.

Mobility in soil

Mobility in soil is the potential for a hazardous chemical (or hazardous ingredients of a mixture) released into the environment to move under natural forces to the groundwater or to a distance from the site of release. The potential for mobility in soil should be provided in an SDS where the information is available. Information on mobility can be determined from relevant mobility data sets; for example absorption studies or leaching studies. For example, Koc (soil organic carbon partition coefficient) values can be predicted from octanol/water partition coefficients (K_{ow}). Leaching and mobility can be predicted from models.

Where real data on the hazardous chemical is available, this data should take precedence over models and predictions.

Other adverse effects

Information on any other adverse effects to the environment should be included where data is available; for example, environmental fate (exposure), ozone depletion potential, photochemical ozone creation potential, endocrine-disrupting potential and global warming potential.

3.13 Section 13 – Disposal considerations

WHS General Regulations Schedule 7(1)

WHS Mines Regulations Schedule 7(1)

Safety data sheets - content

This section of the SDS provides information on the most effective way to dispose of a chemical safely.

Disposal methods

Information should be provided for proper disposal, recycling or reclamation of the hazardous chemical and its container to assist in the determination of safe and environmentally-preferred waste management options. This section should include:

- disposal containers and methods
- physical/chemical properties that may affect disposal options
- effects of sewage disposal
- special precautions for incineration or landfill.

The disposal advice provided on the SDS should apply to the material as manufactured.

For the safety of persons conducting disposal, recycling or reclamation activities, make reference to the information in 'Section 8 – Exposure Controls and Personal Protection' of the SDS.

The local council and/or state environment authority may be able to provide advice on the disposal of chemicals.
3.14 Section 14 – Transport information

WHS General Regulations Schedule 7(1) WHS Mines Regulations Schedule 7(1) Safety data sheets – content

This section of the SDS provides basic classification information for the transportation or shipment of a hazardous chemical by road, rail, sea or air as required by relevant transport legislation. Where information is not available or relevant this should be stated.

Term	Description	
UN number	The UN number (a four-digit identification number for the substance or article) as listed in the ADG Code should be provided.	
Proper shipping name or technical name	The proper shipping name or technical name from the ADG Code should also be included. For hazardous chemicals, the proper shipping name or technical name should be provided in this subsection even if it has not appeared as the product identifier or national or regional identifier.	
Transport hazard class	he SDS should provide the transport class/division (and subsidiary sks) assigned to the hazardous chemical according to the most redominant hazards that the chemical presents under the ADG code.	
Packing group number	If applicable, information should be provided on the Packing Group number found in the ADG Code. The packing group number is assigned to certain hazardous chemicals in accordance with their degree of hazard. Packing Group I is the highest hazard and Packing Group III the lowest.	
Environmental hazards for transport purposes	The SDS should indicate whether the hazardous chemical is a known marine pollutant according to the International Maritime Dangerous Goods (IMDG) Code. Also it is recommended that the SDS indicate whether the substance or mixture is classified as having an acute aquatic toxicity hazard as required under the ADG Code.	
	Additional information for certain environmentally hazardous chemicals may be required on the SDS to comply with maritime transport laws; for example, for chemicals listed in Annex 1 of the International Convention for the Prevention of Pollution from Ships (MARPOL).	

Table 5 Section 14 of the SDS: Transport information

Term	Description
Special precautions for user	Information should be provided on special precautions that users should be aware of or should comply with when transporting a hazardous chemical. Any other special requirements relevant to transport of the chemical should be stated here; for example, shock sensitivity, specific storage requirements during transit/warehousing and overseas regulatory transport requirements if the hazardous chemical is for export.
Additional information	Any additional information required by overseas regulatory agencies or relevant regulations for the transport of goods by other modes should be included here.
Hazchem or emergency action code	The relevant hazchem (or emergency action) code should be provided as specified in the ADG Code.

3.15 Section 15 – Regulatory information

WHS General Regulations Schedule 7(1) WHS Mines Regulations Schedule 7(1) Safety data sheets – content

This section of the SDS provides advice on other regulatory information on the hazardous chemical that is not provided elsewhere in the SDS; for example whether the hazardous chemical is subject to the following international agreements:

- Montreal Protocol (Montreal Protocol on Substances that Deplete the Ozone Layer, as adjusted and/or amended)
- The Stockholm Convention (Stockholm Convention on Persistent Organic Pollutants)
- The Rotterdam Convention (Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade)
- Basel Convention (Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal)
- International Convention for the Prevention of Pollution from Ships (MARPOL).

Safety, health and environmental regulations

Other regulatory information specific to the hazardous chemical may also be included here; for example whether the substance is covered by the following requirements:

- the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the *Therapeutic Goods Act 1989* (Cth) (as amended). If so, list the relevant Poisons Schedule number
- any applicable prohibition or notification/licensing requirements, including for carcinogens under commonwealth, and Western Australian legislation
- the Agricultural and Veterinary Chemicals Code Act 1994 (Cth) and/or applicable commonwealth, state or territory control-of-use legislation

 the Industrial Chemicals (Notification and Assessment) Act 1989 (Cth), including listing on the Australian Inventory of Chemical Substances (AICS), any condition of use associated with the listing on the AICS and/or whether any chemical or a chemical in the product is being introduced under a permit.

In addition, it is recommended that information in an AICS assessment report be included.

3.16 Section 16 – Any other relevant information

WHS General Regulations Schedule 7(1) WHS Mines Regulations Schedule 7(1) Safety data sheets – content

This section of the SDS provides any other information relevant to the preparation of the SDS, including:

- the date of preparation of the latest revision of the SDS. When revisions are made to an SDS, this section should describe the changes made to the previous version of the SDS. Suppliers should maintain an explanation of the changes and be willing to provide it upon request
- a key/legend to abbreviations and acronyms used in the SDS.

Key literature references and sources for data used to compile the SDS should also be included.

Appendix 1 Glossary

Term	Description	
ADG Code	The Australian Code for the Transport of Dangerous Goods by Road and Rail, as in force or remade from time to time, approved by the Transport and Infrastructure Council. The ADG Code is accessible at the National Transport Commission website.	
Article	A manufactured item, other than a fluid or particle, that is formed nto a particular shape or design during manufacture and has hazard properties and a function that are wholly or partly dependent on the shape or design.	
Bioaccumulative potential	The potential for a chemical to accumulate in biota and possibly pass through the food chain.	
Biological monitoring	The measurement and evaluation of a substance, or its metabolites, in the body tissue, fluids or exhaled air of a person exposed to that substance.	
Chemical identity	ne, in accordance with the nomenclature systems of the national Union of Pure and Applied Chemistry or the Chemical acts Service, or a technical name, that gives a chemical a unique ty.	
Class (of dangerous goods)	The number assigned to the goods in the ADG Code indicating the hazard, or most predominant hazard, exhibited by the goods.	
Combustible liquid	A liquid, other than a flammable liquid, that has a flash point, and a fire point less than its boiling point.	
Combustible substance	A substance that is combustible and includes dust, fibres, fumes, mists or vapours produced by the substance.	
Container	Anything in or by which a hazardous chemical is, or has been, wholly or partly covered, enclosed or packed, including anything necessary for the container to perform its function as a container.	
Correct classification	The set of hazard classes and hazard categories assigned to a hazardous chemical when it is correctly classified.	
Division (of dangerous goods)	A number, in a class of dangerous goods, to which the dangerous goods are assigned in the ADG Code.	
Duty holder	Any person who owes a work health and safety duty under the WHS Act including a person conducting a business or undertaking, a designer, manufacturer, importer, supplier, installer of products or plant used at work (upstream duty holder), officer or a worker.	
Exposure standard	An exposure standard published by Safe Work Australia in the Workplace Exposure Standards for Airborne Contaminants.	
Flammable liquid	A flammable liquid within the meaning of the GHS that has a flash point of less than 93°C.	

Term	Description	
Flash point	The lowest temperature (corrected to a standard pressure of 101.3 kPa) at which the application of an ignition source causes the vapours of a liquid to ignite under specified test conditions.	
Generic name	A name applied to a group of chemicals having a similar structure and properties.	
Genuine research	Systematic investigative or experimental activities that are carried out for either acquiring new knowledge (whether or not the knowledge will have a specific practical application) or creating new or improved materials, products, devices, processes or services.	
GHS	The Globally Harmonized System of Classification and Labelling of Chemicals, 7th revised edition, published by the United Nations as modified by Schedule 6 to the WHS Regulations.	
Hazard	A situation or thing that has the potential to harm a person. Hazards at work may include: noisy machinery, a moving forklift, chemicals, electricity, working at heights, a repetitive job, bullying and violence at the workplace.	
Hazard category	A division of criteria within a hazard class in the GHS.	
Hazard class	The nature of a physical, health or environmental hazard under the GHS.	
Hazardous chemical	 Any substance, mixture or article that satisfies the criteria for any one or more hazard classes in the GHS (including a classification referred in Schedule 6 of the WHS Regulations), unless the only hazard class or classes for which the substance, mixture or article satisfies the criteria are any one or more of the following: acute toxicity – oral – category 5 	
	 acute toxicity — dermal — category 5 	
	 acute toxicity — inhalation — category 5 	
	 skin corrosion/irritation — category 3 	
	aspiration hazard — category 2	
	 flammable gas – category 2 acute hazard to the aquatic environment – category 1, 2 or 3 	
	 chronic hazard to the aquatic environment — category 1, 2, 3 or 4 hazardous to the ozone layer. 	
	Note: The Schedule 6 tables replace some tables in the GHS.	
Hazard pictogram	A graphical composition, including a symbol plus other graphical elements, that is assigned in the GHS to a hazard class or hazard category.	
Hazard statement	A statement assigned to a hazard class or hazard category describing the nature of the hazards of a hazardous chemical including, if appropriate, the degree of hazard.	
Hazchem Code	Has the same meaning as 'Hazchem Code' under the ADG Code, also known as the emergency action code.	

Term	Description	
Health and safety committee	A consultative body established under the WHS Act. The committee's functions include facilitating cooperation between workers and the person conducting a business or undertaking to ensure workers' health and safety at work, and assisting to develop work health and safety standards, rules and procedures for the workplace.	
Health and safety representative	A worker who has been elected by their work group under the WHS Act to represent them on health and safety matters.	
Health monitoring	Monitoring the person to identify changes in the person's health status as a result of exposure to a hazardous chemical.	
Import	Bring into the jurisdiction from outside Australia.	
Importer (of a hazardous chemical)	A person who conducts a business or undertaking that imports a substance that is a hazardous chemical that is to be used, or could reasonably be expected to be used, at a workplace.	
Label	Vritten, printed or graphical information elements concerning a nazardous chemical that is affixed to, printed on or attached to the container of a hazardous chemical.	
Manufacture	The activities of packing, repacking, formulating, blending, mixing, making, remaking and synthesising of the chemical.	
Manufacturer (of a hazardous chemical)	A person who conducts a business or undertaking that manufactures a substance that is a hazardous chemical that is to be used, or could reasonably be expected to be used, at a workplace.	
Мау	'May' indicates an optional course of action.	
Mixture	Means a combination of or a solution composed of two or more substances that do not react with each other.	
Must	'Must' indicates a legal requirement exists that must be complied with.	
Officer	 An officer under the WHS Act includes: an officer under section 9 of the <i>Corporations Act 2001</i> (Cth) an officer of the Crown within the meaning of section 4A of the WHS Act an officer of a public corporation within the meaning of section 4A of the WHS Act. 	
	A partner in a partnership or an elected member of a local authority is not an officer while acting in that capacity.	

Term	Description	
Person conducting a business or undertaking (PCBU)	 A PCBU is an umbrella concept which intends to capture all types of working arrangements or relationships. A PCBU includes a: company unincorporated body or association sole trader or self-employed person. Individuals who are in a partnership that is conducting a business will individually and collectively be a PCBU. A volunteer association (defined under the WHS Act, see below) or elected members of a local authority will not be a PCBU. 	
Precautionary statement	A phrase prescribed by the GHS that describes recommended measures to be taken to prevent or minimise the adverse effects of exposure to a hazardous chemical or the improper handling of a hazardous chemical.	
Product identifier	The name or number used to identify a product on a label or in a safety data sheet – the term 'product name' has previously been used for 'product identifier'.	
Proper shipping name	A proper shipping name under the ADG Code.	
Research chemical	A substance or mixture that is manufactured in a laboratory for genuine research and is not for use or supply for a purpose other than analysis or genuine research.	
Risk	The possibility harm (death, injury or illness) might occur when exposed to a hazard.	
Should	'Should' indicates a recommended course of action.	
Substance	 A chemical element or compound in its natural state or obtained or generated by a process: including any additive necessary to preserve the stability of the element or compound and any impurities deriving from the process, but excluding any solvent that may be separated without affecting the stability of the element or compound, or changing its composition. 	
Supply	Selling or transferring ownership or responsibility for a chemical.	
Technical name	 A name that is: ordinarily used in commerce, regulations and codes to identify a substance or mixture, other than an International Union of Pure and Applied Chemistry or Chemical Abstracts Service name, and recognised by the scientific community. 	
United Nations (UN) number	A number assigned to dangerous goods by the United Nations Subcommittee of Experts on the Transport of Dangerous Goods – UN numbers are published in the UN Recommendations on the Transport of Dangerous Goods – Model Regulation, and in the ADG Code.	

Term	Description	
Volunteer association	A group of volunteers working together for one or more community purposes where none of the volunteers, whether alone or jointly with any other volunteers, employs any person to carry out work for the volunteer association.	
Work group	A group of workers established to facilitate the representation of workers by one or more health and safety representatives. A work group may be all workers at a workplace but it may also be appropriate to split a workplace into multiple work groups where workers share similar work conditions or are exposed to similar risks and hazards. For example, all workers on night shift.	
Worker	Any person who carries out work for a person conducting a business or undertaking, including work as an employee, contractor or subcontractor (or their employee), self-employed person, outworker, apprentice or trainee, work experience student, employee of a labour hire company placed with a 'host employer' or a volunteer.	
Workplace	Any place where work is carried out for a business or undertaking and includes any place where a worker goes, or is likely to be, while at work. This may include offices, factories, shops, construction sites, vehicles, ships, aircraft or other mobile structures on land or water.	

Appendix 2 Header checklist

This checklist provides a summary of the information contained in Chapter 3 of this Code (Content of the safety data sheet) by listing its headers or the parameters considered. It is not a comprehensive list of information required on the SDS. Refer to the relevant section of this Code for detailed instructions.

Table 6	Chapter 3 header	checklist
---------	------------------	-----------

Section of the SDS	Headers	
Section 1 – Identification	 Product Identifier Other means of identification Recommended use of the chemical and restrictions on use Details of manufacturer or importer Emergency phone number 	
Section 2 – Hazard(s) identification	 Classification of the hazardous chemical Label elements, including precautionary statements 	
Section 3 – Composition and information on ingredients	 Disclosure of ingredient names Use of generic names Disclosure of proportions of ingredients 	
Section 4 – First aid measures	 Description of necessary first aid measures Symptoms caused by exposure Medical attention and special treatment 	
Section 5 – Firefighting measures	 Suitable extinguishing equipment Specific hazards arising from the chemical Special protective equipment and precautions for firefighters 	
Section 6 — Accidental release measures	 Personal precautions, protective equipment and emergency procedures Environmental precautions Methods and materials for containment and cleaning up 	
Section 7 — Handling and storage	 Precautions for safe handling Conditions for safe storage, including any incompatibilities 	
Section 8 – Exposure controls and personal protection	 Exposure control measures Biological monitoring Control banding Engineering controls Individual protection measures; for example personal protective equipment (PPE) 	

Section of the SDS	Headers
Section 9 -	Appearance
Physical and chemical properties	Odour
properties	Odour threshold
	D pH
	Melting point/freezing point
	Boiling point and boiling range
	Flash point
	Evaporation rate
	Flammability (solid, gas)
	Upper/lower flammability or explosive limits
	Vapour pressure
	Vapour density
	Relative density
	Solubility
	Partition coefficient: n-octanol/water
	Auto-ignition temperature
	Decomposition temperature
	☐ Viscosity
	Specific heat value
	Saturated vapour concentration
	Release of invisible flammable vapours and gases
	Particle size
	Size distribution
	Shape and aspect ratio
	Crystallinity
	Dustiness
	Surface area
	Degree of aggregation or agglomeration, and dispersibility
	Redox potential
	Biodurability or biopersistence
	Surface coating or chemistry
Section 10 –	Reactivity
Stability and reactivity	Chemical stability
	Possibility of hazardous reactions
	Conditions to avoid
	Incompatible materials
	Hazardous decomposition products

Section of the SDS	Headers
Section 11 — Toxicological information	 Information on possible routes of exposure Early onset symptoms related to exposure Delayed health effects from exposure Exposure levels and health effects Interactive effects When specific chemical data is not available Mixtures of chemicals Other information
Section 12 – Ecological information	 Ecotoxicity Persistence and degradability Bioaccumulative potential Mobility in soil Other adverse effects
Section 13 — Disposal considerations	Disposal methods
Section 14 – Transport information	 UN number Proper Shipping Name or Technical Name Transport hazard class Packing Group Environmental hazards for transport purposes Special precautions for user Additional information Hazchem or Emergency Action Code
Section 15 – Regulatory information	Safety, health and environmental regulations
Section 16 — Other information	 Date of preparation or review Key abbreviations or acronyms used

Appendix 3 GHS label elements for inclusion in the SDS

The information in this Appendix guides the selection of appropriate GHS signal words, pictograms, hazard statements and precautionary statements that apply to each GHS hazard class and category. It includes elements for all categories of precautionary action. All specific elements relating to particular hazard classes and categories should be used. General elements not linked in particular to a certain hazard class or category should also be used, where appropriate.

The precautionary statements included in the following matrix cover general emergency response and first aid. For some specific chemicals, supplementary first aid, treatment measures or specific antidotes or cleansing materials may be required. Poisons centres and/ or medical practitioners or specialist advice should be sought in such situations and included on labels where appropriate.

Structure of hazard statement text

The text in bold in the tables below (Tables of label elements from the GHS) should appear in the SDS, except as otherwise specified. The information in italics should also appear as part of the hazard statement in the SDS when the information is known; for example:

'Causes damage to organs [or state all organs affected, if known] through prolonged or repeated exposure [state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard]'.

The hazard statement codes shown in the tables are intended to be used for reference purposes only. They are not part of the hazard statement text and should not be used to replace it in the SDS.

Structure of precautionary statement text

There are five types of precautionary statements: **general**, **prevention**, **response** (in case of accidental spillage or exposure, emergency response and first aid), **storage** and **disposal**.

The core parts of the precautionary statements are shown in bold print. This is the text that should appear in the SDS, except as otherwise specified.

The precautionary statement codes used in the tables below (Tables of label elements from the GHS) are intended to be used for reference purposes only. They are not part of the precautionary statement text and should not be used to replace it in the SDS.

To provide flexibility in the application of precautionary phrases, a combination of statements may be used to improve the readability of phrases. Combinations of phrases can also be useful for different types of hazard where the precautionary behaviour is similar. For example:

'Keep away from heat, sparks and open flame and store in a cool well ventilated place'.

Where precautionary statements have been modified or combined, clear plain language is essential to convey information on precautionary behaviour.

When a backslash or diagonal mark [/] appears in a precautionary statement text, it indicates that a choice has to be made between the phrases it separates. For example, P280 '**Wear protective gloves/protective clothing/eye protection/face protection/hearing protection**' can read '**Wear eye protection**' where the hazard classification does not warrant the additional personal protective equipment (PPE).

When three full stops [...] appear in a precautionary statement text, they indicate that all applicable conditions are not listed. For example, in P241 'Use explosion-proof [electrical/ ventilating/lighting/...] equipment', the use of '...' indicates that other equipment should be specified.

When text in italics is used in the precautionary statement text, this indicates specific conditions apply to the use or allocation of the precautionary statement. This may relate to conditions attaching to either the general use of a precautionary statement or its use for a particular hazard class and/or hazard category. For example, P241 '**Use explosion-proof [electrical/ventilating/lighting/...] equipment**' only applies for flammable solids '*if dust clouds can occur*'.

General precautionary measures

The general precautionary statements listed below are not aligned with any particular GHS hazard category. According to the GHS principles, these statements are required for consumer products only. However, manufacturers of hazardous chemicals may choose to include these in an SDS, particularly where it is foreseeable that the chemical may be used in a non-workplace situation.

Code	General precautionary statements	Conditions for use
P101	If medical advice is needed, have product container or label at hand.	Consumer products
P102	Keep out of reach of children.	Consumer products
P103	Read carefully and follow all instructions.	Consumer products

 Table 7
 General precautionary statements for consumer products

Tables of label elements from the GHS

The tables below provide the following information for each hazard class and hazard category of the GHS:

- hazard category
- the assigned signal word
- the assigned hazard statement and code
- the assigned GHS symbol
- the assigned precautionary statements, by precautionary statement type and code.

Explosives

Hazard category	Signal word	Hazard statement	Symbol
Unstable Explosive	Danger	H200 Unstable Explosive	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P201	P370 + P372 + P380 +	P401	P503	
Obtain special instructions before use.	P373 In case of fire: Explosion risk.	Store in accordance with manufacturer/	Refer to manufacturer/ supplier/ for information on	
P250	Evacuate area. DO NOT fight fire	supplier or the	disposal/recovery/ recycling.	
Do not subject to grinding/shock/ friction/	DO NOT fight fire when fire reaches explosives.	competent authority to specify local/regional/ national/international regulations as	manufacturer/ supplier or the competent authority	
manufacturer/ supplier or the competent authority to specify applicable rough handling.		applicable.	to specify appropriate source of information in accordance with local/regional/ national/international	
— if the explosive is mechanically sensitive.			regulations as applicable.	
P280				
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/				
Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.				

Hazard category	Signal word	Hazard statement	Symbol
Division 1.1	Danger	H201 Explosive; mass explosion hazard	
Division 1.2	Danger	H202 Explosive; severe projection hazard	
Division 1.3	Danger	H203 Explosive; fire, blast or projection hazard	-

Precautionary statements			
Prevention Re	esponse	Storage	Disposal
P210 P3 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. DC P230 wh	esponse 370 + P372 + P380 + 373 a case of fire: xplosion risk. vacuate area. O NOT fight fire hen fire reaches xplosives.	Storage P401 Store in accordance with manufacturer/ supplier or the competent authority to specify local/regional/ national/international regulations as applicable.	Disposal P503 Refer to manufacturer/ supplier/ for information on disposal/recovery/ recycling. manufacturer/ supplier or the competent authority to specify appropriate source of information in accordance with local/regional/ national/international regulations as applicable.

PREPARATION OF SAFETY DATA SHEETS FOR HAZARDOUS CHEMICALS – CODE OF PRACTICE

Prevention	Response	Storage	Disposal
P250	P370 + P372 + P380 +	P401	P503
Do not subject to grinding/shock/ friction/	P373 In case of fire: Explosion risk.	Store in accordance with manufacturer/	Refer to manufacturer/ supplier/ for information on
manufacturer/ supplier or the competent authority	Evacuate area. DO NOT fight fire when fire reaches	supplier or the competent authority to specify local/regional/	disposal/recovery/ recycling. manufacturer/
to specify applicable rough handling.	explosives.	national/international regulations as	supplier or the competent authority
— if the explosive is mechanically sensitive.		applicable.	to specify appropriate source of information in accordance with
P280			local/regional/
Use protective gloves /protective clothing/ eye protection/ face protection/hearing protection/			national/international regulations as applicable.
manufacturer/ supplier or the competent Authority to specify the appropriate personal protective equipment.			

Hazard category	Signal word	Hazard statement	Symbol
Division 1.4	Warning	H204 Fire or projection hazard	

Precautionary statements				
Prevention	Response	Storage	Disposal	
Prevention P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P234 Keep only in original packaging. P240 Ground and bond container and receiving equipment if the explosive is electrostatically sensitive. P250 Do not subject to grinding/shock/ friction/ manufacturer/ supplier or the competent authority to specify applicable rough handling if the explosive is mechanically sensitive. P280 Wear protective gloves/protective gloves/protective clothing/eye protection/face protection/face protection/ Manufacturer/supplier authority to specify the authority to specify the authority to specify the appropriate personal	Response P370 + P372 + P380 + P373 In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives. P370 + P380 + P375 In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. - for explosives of division 1.4 (compatibility group S) in transport packaging.	Storage P401 Store in accordance with Manufacturer/supplier or the competent authority to specify local/regional/national/international regulations as applicable.	Disposal P503 Refer to manufacturer/ supplier/for information on disposal/recovery/ recycling Manufacturer/ supplier or the competent authority to specify appropriate source of information in accordance with local/regional/ national/international regulations as applicable.	

Hazard category	Signal word	Hazard statement	Symbol*
Division 1.5	Danger	H205 May mass explode in fire	1.5 EXPLOSIVE

Precautionary statements	Precautionary statements				
Prevention	Response	Storage	Disposal		
PreventionP210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P230Keep wetted withManufacturer/ supplier or the competent authority to specify appropriate material for substances and mixtures which are wetted, diluted, dissolved or suspended with a phlegmatizer in order to reduce or suppress their explosive properties (desensitised explosives).P234Keep only in original packaging.P240Ground and bond container and receiving equipment if the explosive is electrostatically sensitive.P250Do not subject to grinding/shock/ friction/Manufacturer/supplier or the competent authority to specify applicable rough handling.	ResponseP370 + P372 +P380 + P373In case of fire:Explosion risk.Evacuate area.DO NOT fight firewhen fire reachesexplosives.P370 + P380 +P375In case of fire:Evacuate area.Fight fire remotelydue to the risk ofexplosion for explosivesof division 1.4(compatibilitygroup S) intransportpackaging.	Storage P401 Store in accordance with Manufacturer/ supplier or the competent authority to specify local/ regional/national/ international regulations as applicable.	Disposal P503 Refer to manufacturer/ supplier/for information on disposal/ recovery/ recycling Manufacturer/ supplier or the competent authority to specify appropriate source of information in accordance with local/regional/ national/ international regulations as applicable.		
— if the explosive is mechanically sensitive.					
P280					
Use protective gloves /protective clothing/eye protection/ face protection/hearing protection/					
Manufacturer/supplier or the competent Authority to specify the appropriate personal protective equipment.					

*Note: This symbol is according to the ADG Code for the Transport of Dangerous Goods

Hazard category	Signal word	Hazard statement	Symbol*
Division 1.6	No signal word	No hazard statement	1.6 EXPLOSIVE

Precautionary statements			
Prevention	Response	Storage	Disposal
No precautionary statements	No precautionary statements	No precautionary statements	No precautionary statements

* Note: Symbol for Explosive Division 1.6 is the symbol used according to the ADG Code for the Transport of Dangerous Goods

Flammable gases

Hazard category	Signal word	Hazard statement	Symbol
1A	Danger	H220 Extremely flammable gas	
1B	Danger	H221 Flammable gas	\checkmark

Precautionary statements

Prevention	Response	Storage	Disposal
P210	P377	P403	
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	Leaking gas fire: Do not extinguish, unless leak can be stopped safely.	Store in well-ventilated place.	
onioning.	P381		
	In case of leakage, eliminate all ignition sources.		

Flammable gases (pyrophoric gases)

Hazard category	Signal word	Hazard statement	Symbol
1A, Pyrophoric gas	Danger	H220 Extremely flammable gas; and H232 May ignite spontaneously if exposed to air	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P210	P377	P403		
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	Leaking gas fire: Do not extinguish, unless leak can be stopped safely. P381	Store in well-ventilated place.		
P222	In case of leakage,			
Do not allow contact with air.	eliminate all ignition sources.			
 if emphasis of the hazard statement is deemed necessary. 				
P280				
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/				
Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment				

Note: This table lists only precautionary statements that are assigned due to the flammability and the pyrophoricity of the gas. For other precautionary statements that are assigned based on chemical instability see the respective table for chemically unstable gases A and B.

Flammable gases (chemically unstable gases)

Hazard category	Signal word	Hazard statement	Symbol
1A, chemically unstable gas A	Danger	H220 Extremely flammable gas; and	
		H230 May react explosively even in the absence of air	
1A, chemically unstable gas B	Danger	H220 Extremely flammable gas; and	
		H231 May react explosively even in the absence of air at elevated pressure and/or temperature	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P202	P377	P403		
Do not handle until all safety precautions have been read and understood.	Leaking gas fire: Do not extinguish, unless leak can be stopped safely.	Store in well-ventilated place.		
P210	P381			
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	In case of leakage, eliminate all ignition sources.			

Note: This table lists only precautionary statements that are assigned due to the flammability and the chemical instability of the gas. For other precautionary statements that are assigned based on the pyrophoricity see the respective table for pyrophoric gases.

Aerosols

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H222 Extremely flammable aerosol; and	
		H229 Pressurized container: may burst if heated	
2	Warning	H223 Flammable aerosol; and	
		H229 Pressurized container: may burst if heated	

Precautionary statements			
Prevention	Response	Storage	Disposal
P210		P410 + P412	
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.	
P211 Do not spray on an open flame or other ignition source. P251		Manufacturer/supplier or the competent authority to use applicable temperature scale.	
Do not pierce or burn, even after use.			

Aerosols

Hazard category	Signal word	Hazard statement	Symbol
3	Warning	H229 Pressurized container: may burst if heated	No symbol

Precautionary statements

Prevention	Response	Storage	Disposal
P210		P410 + P412	
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.	
P251 Do not pierce or burn, even after use.		Manufacturer/supplier or the competent authority to use applicable temperature scale.	

Oxidising gases

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H270 May cause or intensify fire; oxidiser	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P220	P370 + P376	P403		
Keep away from clothing and other combustible materials.	In case of fire: Stop leak if safe to do so.	Store in well-ventilated place.		
P244				
Keep valves and fittings free from grease and oil.				

Gases under pressure (compressed, liquefied and dissolved gases)

Hazard category	Signal word	Hazard statement	Symbol
Compressed gas	Warning	H280 Contains gas under pressure; may explode if heated	
Liquefied gas	Warning	H280 Contains gas under pressure; may explode if heated	
Dissolved gas	Warning	H280 Contains gas under pressure; may explode if heated	

Precautionary statements				
Prevention	Response	Storage	Disposal	
		P410 + P403		
		Protect from sunlight. Store in a well- ventilated place.		
		 P410 may be omitted for gases filled in transportable gas cylinders in accordance with packing instruction P200 of the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, unless those gases are subject to (slow) decomposition or polymerisation, or the competent authority provides otherwise. 		

Gases under pressure (refrigerated liquefied gases)

Hazard category	Signal word	Hazard statement	Symbol
Refrigerated liquefied gas	Warning	H281 Contains refrigerated gas; may cause cryogenic burns or injury.	$\langle \hspace{-1.5pt} \rangle$

Precautionary statements				
Prevention	Response	Storage	Disposal	
P282	P336 + P315	P403		
Wear cold insulating gloves and either face shield or eye protection.	Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/ attention.	Store in well-ventilated place.		
	Manufacturer/ supplier or the competent authority to select medical advice or attention as appropriate.			

PREPARATION OF SAFETY DATA SHEETS FOR HAZARDOUS CHEMICALS – CODE OF PRACTICE

Flammable liquids

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H224 Extremely flammable liquid and vapour	
2	Danger	H225 Highly flammable liquid and vapour	
3	Warning	H226 Flammable liquid and vapour	

Precautionary statements					
Prevention	Response	Storage	Disposal		
P210	P303 + P361 + P353	P403 + P235	P501		
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	IF ON SKIN (or hair): Take off immediately all contaminated	Store in a well- ventilated place. Keep cool.	Dispose of contents/ container to		
P233	clothing. Rinse	— for flammable liquids category	in accordance with local/		
Keep container tightly closed.	skin with water [or shower].	I and other	regional/ national/		
— if the liquid is volatile and may generate an explosive atmosphere.	– text in square brackets to be	flammable liquids that are volatile and may generate	international regulations (to be specified).		
P240	included where	an explosive atmosphere.	Manufacturer/		
Ground and bond container and receiving equipment.	the manufacturer /supplier or the competent authority considers it appropriate for the specific chemical.	atmosphere.	supplier or the competent authority to specify whether disposal requirements apply to contents,		
— if the liquid is volatile and may generate an explosive atmosphere.					
P241	P370 + P378				
Use explosion-proof [electrical/ ventilating/lighting/] equipment.	In case of fire: Use to extinguish.		container or both.		
 if the liquid is volatile and may generate an explosive atmosphere. 	to extinguisn. Manufacturer/ supplier or the competent authority to specify appropriate media. – if water increases risk.				
 text in square brackets may be used to specify specific electrical, ventilating, lighting or other equipment if necessary and as appropriate. 					
 precautionary statement may be omitted where local or national legislation introduces more specific provisions 	100.				
P242					
Use non-sparking tools.					

Prevention	Response	Storage	Disposal
P243	P303 + P361 + P353	P403 + P235	P501
Take action to prevent static discharges.	IF ON SKIN (or hair): Take off immediately all	Store in a well- ventilated place.	Dispose of contents/ container to
 if the liquid is volatile and may generate an explosive atmosphere. 	contaminated clothing. Rinse	Keep cool. – for flammable	in accordance with local/
 may be omitted where local or national legislation introduces more specific provisions. 	skin with water [or shower].	liquids category I and other flammable liquids	regional/ national/ international
P280	— text in square brackets to be	that are volatile and may generate	regulations (to be specified).
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/	included where the manufacturer /supplier or the competent authority considers it appropriate for the specific chemical. P370 + P378	an explosive atmosphere.	Manufacturer/ supplier or the competent authority to specify whether disposal requirements
 manufacturer/supplier or the competent authority to specify the appropriate personal protective 			
equipment.			apply to contents,
	In case of fire: Use to extinguish.		container or both.
	Manufacturer/ supplier or the competent authority to specify appropriate media.		
	— if water increases risk.		

Flammable liquids

Hazard category	Signal word	Hazard statement	Symbol
4	Warning	H227 Combustible liquid	No symbol

Precautionary statements				
Prevention	Response	Storage	Disposal	
P210	P370 + P378	P403	P501	
Keep away from heat, hot surfaces, sparks,	In case of fire: Use to extinguish.	Store in a well- ventilated place.	Dispose of contents/ container to	
open flames and other ignition sources. No smoking.	Manufacturer/ supplier or the competent authority	— for flammable liquids Category 1 and other flammable liquids that	in accordance with local/ regional/ national/ international	
P280 Wear protective	to specify appropriate media. — <i>if water increases</i> <i>risk</i> .	are volatile and may generate an explosive atmosphere.	regulations (to be specified).	
gloves/protective clothing/eye protection/ face protection/hearing protection/			Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to	
Manufacturer/supplier or the competent authority to specify type of equipment.			contents, container or both.	

Flammable solids

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H228 Flammable solid	
2	Warning	H228 Flammable solid	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P210	P370 + P378			
Keep away from heat, hot surfaces, sparks, open flames	In case of fire: Use to extinguish.			
and other ignition sources. No smoking.	Manufacturer/ supplier or the			
P240	competent			
Ground and bond container and receiving equipment.	authority to specify appropriate media.			
— if the solid is electrostatically sensitive.	— if water increases risk.			
P241				
Use explosion-proof [electrical/ ventilating/lighting/] equipment.				
— if dust clouds can occur.				
 text in square brackets may be used to specify specific electrical, ventilating, lighting or other equipment if necessary and as appropriate. 				
 precautionary statement may be omitted where local or national legislation introduces more specific provisions. 				
P280				
Wear protective gloves/protective clothing/eye protection/ face protection/hearing protection/				
Manufacturer/supplier or the competent authority to specify type of equipment.				

Self-reactive substances and mixtures

Hazard category	Signal word	Hazard statement	Symbol
Туре А	Danger	H240 Heating may cause an explosion	

Precautionary statements			
Prevention	Response	Storage	Disposal
P210	P370 + P372 + P380 +	P403	P501
Keep away from heat, hot surfaces, sparks,	P373 In case of fire:	Store in a well- ventilated place.	Dispose of contents/ container to
open flames and other ignition sources. No smoking.	Explosion risk. Evacuate area. DO NOT fight fire	 except for temperature controlled self- reactive 	in accordance with local/ regional/ national/ international
P234	when fire reaches explosives.	substances and	regulations (to
Keep only in original packaging.	скрюзиез.	mixtures or organic peroxides because condensation and	be specified). Manufacturer/supplier or the competent
P235		consequent freezing	authority to specify
Keep cool.		may take place . P411	whether disposal requirements apply to
 may be omitted if P411 is given on the label. 		Store at temperatures not exceeding°C/	contents, container or both.
P240		° F .	
Ground and bond container and receiving equipment.		 if temperature control is required (according to section 2.8.2.3 or 2.15.2.3 of 	
 if electrostatically sensitive and able to generate an explosive 		the GHS) or if otherwise deemed necessary.	
atmosphere.		Manufacturer/ supplier or the	
P280		competent authority to specify temperature	
Wear protective gloves/protective clothing/eye		using applicable temperature scale	
protection/face		P420	
protection/hearing protection/		Store separately.	
Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.			

Self-reactive substances and mixtures

Hazard category	Signal word	Hazard statement	Symbol
Туре В	Danger	H241 Heating may cause a fire or explosion	

Precautionary statem	Precautionary statements			
Prevention	Response	Storage	Disposal	
P210	P370 + P380 + P375 [+	P403	P501	
Keep away from heat, hot surfaces, sparks,	P378] In case of fire:	Store in a well- ventilated place.	Dispose of contents/ container to	
open flames and other ignition sources. No smoking.	Evacuate area. Fight fire remotely due to the risk of explosion.	 except for temperature controlled self-reactive 	in accordance with local/ regional/ national/ international	
P234	[Useto extinguish]	substances and	regulations (to be	
Keep only in original packaging.	 text in square brackets to be included 	mixtures or organic peroxides because	specified). Manufacturer/supplier	
P235	if water increases risk.	condensation and consequent freezing	or the competent	
Keep cool.	Manufacturer/ supplier or the	may take place.	authority to specify whether disposal	
– may be omitted if	competent authority to specify appropriate	P411	requirements apply to contents, container or	
P411 is given on the label.	media.	Store at temperatures not exceeding°C/	both.	
P240		°F.		
Ground and bond container and receiving equipment.		 if temperature control is required (according to section 		
- if electrostatically sensitive and able to		2.8.2.3 or 2.15.2.3 of the GHS) or if otherwise deemed necessary.		
generate an explosive atmosphere.		Manufacturer/ supplier or the		
P280		competent authority		
Wear protective gloves/protective clothing/eye		to specify temperature using applicable temperature scale.		
protection/face		P420		
protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the		Store separately.		
appropriate personal protective equipment.				

Self-reactive substances and mixtures

Hazard category	Signal word	Hazard statement	Symbol
Туре С	Danger	H242 Heating may cause a fire	
Туре D	Danger	H242 Heating may cause a fire	
Туре Е	Danger	H242 Heating may cause a fire	\sim
Туре F	Danger	H242 Heating may cause a fire	

Precautionary statements			
Prevention	Response	Storage	Disposal
P210	P370 + P378	P403	P501
Keep away from heat, hot surfaces, sparks, open	In case of fire: Use to extinguish.	Store in a well- ventilated place.	Dispose of contents, container to
flames and other ignition sources. No smoking.	Manufacturer/ supplier or the	— except for temperature controlled	in accordance with local/ regional/
P234	competent authority	self- reactive	national/ internationa
Keep only in original packaging.	to specify appropriate media.	substances and mixtures or organic	regulations (to be specified).
P235	— if water increases risk.	peroxides because condensation and	Manufacturer/ supplier or the
Keep cool.		consequent freezing may take place.	competent
— may be omitted if P411 is given on the label.		P411	authority to specify whether disposal
P240		Store at temperatures not exceeding°C/	requirements apply to contents, container of
Ground and bond container and receiving equipment.		 F. <i>if temperature</i> <i>control is required</i> 	both.
 if electrostatically sensitive and able to generate an explosive atmosphere. 		(according to section 2.8.2.3 or 2.15.2.3 of the GHS) or if otherwise deemed	
P280		necessary.	
Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection/ Manufacturer/supplier or		Manufacturer/ supplier or the competent authority to specify temperature using applicable temperature scale.	
the competent authority to specify the appropriate personal protective equipment.		P420 Store separately.	

Pyrophoric liquids

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H250 Catches fire spontaneously if exposed to air	

Precautionary statem	Precautionary statements			
Prevention	Response	Storage	Disposal	
P210	P302 + P334			
Keep away from heat, hot surfaces, sparks, open flames and other	IF ON SKIN: Immerse in cool water or wrap in wet bandages.			
ignition sources. No smoking.	P370 + P378			
P222	In case of fire: Use to extinguish.			
Do not allow contact with air.	Manufacturer/ supplier or the			
 if emphasis of the hazard statement is deemed necessary. 	competent authority to specify appropriate media.			
P233	– if water increases			
Keep container tightly closed.	risk.			
P280				
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.				

Pyrophoric solids

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H250 Catches fire spontaneously if exposed to air	

Precautionary statements			
Prevention	Response	Storage	Disposal
P210	P302 + P335 + P334		
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	IF ON SKIN: Brush off loose particles from skin. Immerse in cool water or wrap in wet bandages.		
P222	P370 + P378		
Do not allow contact with air.	In case of fire: Use to extinguish.		
— if emphasis of the hazard statement is deemed necessary.	Manufacturer/ supplier or the competent authority		
P233	to specify appropriate media.		
Keep container tightly closed.	— if water increases risk.		
P280	1151.		
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.			

Self-heating substances and mixtures

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H251 Self-heating; may catch fire	
2	Warning	H252 Self-heating in large quantities; may catch fire	\checkmark

Precautionary statements			
Prevention	Response	Storage	Disposal
P235		P407	
Keep cool. — may be omitted if P413 is given on the label. P280		Maintain air gap between stacks or pallets. P410	
Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.		Protect from sunlight. P413 Store bulk masses greater than kg/ Ibs at temperatures not exceeding°C/ °F. Manufacturer/ supplier or the competent authority to specify mass and temperature using applicable scale. P420 Store separately.	

Substances and mixtures which, in contact with water, emit flammable gases

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H260 In contact with water releases flammable gases, which may ignite spontaneously	
2	Danger	H261 In contact with water releases flammable gases	

Prevention	Response	Storage	Disposal
>223	P302 + P335 + P334	P402 + P404	P501
Do not allow contact with water.	IF ON SKIN: Brush off loose particles from skin and immerse in	Store in a dry place. Store in a closed container.	Dispose of contents/ container to
– if emphasis of the hazard statement is	cool water.	container.	in accordance with local/regional/
deemed necessary.	P370 + P378		national/ internationa regulations (to
P231 + P232	In case of fire: Use to extinguish.		be specified).
Handle and store contents under inert gas/ Protect from moisture.	Manufacturer/ supplier or the competent authority		Manufacturer/supplie or the competent authority to specify whether disposal
– if the substance or mixture reacts readily	to specify appropriate media.		requirements apply to contents, container or both.
with moisture in air.	— if water increases		
Manufacturer/ supplier or the competent authority to specify appropriate iquid or gas if "inert gas" is not appropriate.	risk.		
D280			
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal			

Precautionary statements
Substances and mixtures which, in contact with water, emit flammable gases

Hazard category	Signal word	Hazard statement	Symbol
3	Danger	H261 In contact with water releases flammable gases	

Precautionary statements			
Prevention	Response	Storage	Disposal
P231 + P232	P370 + P378	P402 + P404	P501
Handle and store contents under inert	In case of fire: Use to extinguish.	Store in a dry place. Store in a closed	Dispose of contents/ container to
gas/ Protect from moisture. — if the substance or	Manufacturer/ supplier or the competent authority	container.	in accordance with local/ regional/ national/ international
mixture reacts readily with moisture in air.	to specify appropriate media.		regulations (to be specified).
Manufacturer/ supplier or the competent authority to specify appropriate liquid or gas if "inert gas" is not appropriate.	— if water increases risk.		Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.			

Oxidising liquids

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H271 May cause fire or explosion; strong oxidiser	

Precautionary statements			
Prevention	Response	Storage	Disposal
P210	P306 + P360	P420	P501
Keep away from heat, hot surfaces, sparks,	IF ON CLOTHING: Rinse immediately	Store separately.	Dispose of contents/ container to
open flames and other ignition sources. No smoking. P220	contaminated clothing and skin with plenty of water before removing clothes.		in accordance with local/ regional/ national/ international regulations (to
Keep away from	P371 + P380 + P375		be specified).
clothing and other combustible materials. P280	er In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.		Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or
Wear protective gloves/protective	P370 + P378		both.
clothing/eye protection/face	In case of fire: Use to extinguish.		
protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.	Manufacturer/ supplier or the competent authority to specify appropriate media. – <i>if water increases</i>		
P283	risk.		
Wear fire resistant or flame retardant clothing.			

Oxidising liquids

Hazard category	Signal word	Hazard statement	Symbol
2	Danger	H272 May intensify fire; oxidiser	(
3	Warning	H272 May intensify fire; oxidiser	

Precautionary statements			
Prevention	Response	Storage	Disposal
P210	P370 + P378		P501
Keep away from heat, hot surfaces, sparks,	In case of fire: Use to extinguish.		Dispose of contents/ container to
open flames and other ignition sources. No smoking. P220	Manufacturer/ supplier or the competent authority to specify appropriate		in accordance with local/ regional/ national/ international regulations (to
Keep away from clothing and other combustible materials.	media. — if water increases risk.		be specified). Manufacturer/supplier or the competent authority to specify whether disposal
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.			requirements apply to contents, container or both.

Oxidising solids

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H271 May cause fire or explosion; strong oxidiser	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P210	P306 + P360	P420	P501	
Keep away from heat, hot surfaces, sparks,	IF ON CLOTHING: Rinse immediately	Store separately.	Dispose of contents/ container to	
open flames and other ignition sources. No smoking.	contaminated clothing and skin with plenty of water before removing		in accordance with local/ regional/ national/ international	
P220	clothes.		regulations (to	
Keep away from	P371 + P380 + P375		be specified).	
clothing and other combustible materials.	In case of major fire and large quantities: Evacuate area. Fight		Manufacturer/supplier or the competent authority to specify	
P280	fire remotely due to the risk of explosion.		whether disposal requirements apply to contents, container or	
Wear protective gloves/protective	P370 + P378		both.	
clothing/eye protection/face	In case of fire: Use to extinguish.			
protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.	Manufacturer/ supplier or the competent authority to specify appropriate media. - <i>if water increases</i>			
P283	risk.			
Wear fire resistant or flame retardant clothing.				

Oxidising solids

Hazard category	Signal word	Hazard statement	Symbol
2	Danger	H272 May intensify fire; oxidiser	
3	Warning	H272 May intensify fire; oxidiser	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P210	P370 + P378		P501	
Keep away from heat, hot surfaces, sparks,	In case of fire: Use to extinguish.		Dispose of contents/ container to	
open flames and other ignition sources. No smoking.	Manufacturer/ supplier or the competent authority		in accordance with local/ regional/ national/ international	
P220	to specify appropriate		regulations (to	
Keep away from clothing and other combustible materials.	media. — if water increases risk.		be specified). Manufacturer/supplier or the competent authority to specify whether disposal	
P280			requirements apply to	
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.			contents, container or both.	

Organic peroxides

Hazard category	Signal word	Hazard statement	Symbol
Туре А	Danger	H240 Heating may cause an explosion	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P210	P370 + P372 + P380 +	P403	P501	
Keep away from heat, hot surfaces, sparks,	P373 In case of fire:	Store in a well- ventilated place.	Dispose of contents/ container to	
open flames and other ignition sources. No smoking.	Explosion risk. Evacuate area. DO NOT fight fire	 except for temperature controlled self-reactive 	in accordance with local/ regional/ national/ international	
P234	when fire reaches explosives.	substances and	regulations (to	
Keep only in original packaging.	explosives.	mixtures or organic peroxides because condensation and	be specified). Manufacturer/supplier or the competent	
P235		consequent freezing may take place.	authority to specify whether disposal	
Keep cool.		P410	requirements apply to	
— may be omitted if P411 is given on the label.		Protect from sunlight.	contents, container or both.	
P240		P411		
Ground and bond container and		Store at temperatures not exceeding°C/ °F.		
receiving equipment. – if electrostatically sensitive and able to generate an explosive atmosphere. P280		 if temperature control is required (according to section 2.8.2.3 or 2.15.2.3 of the GHS) or if otherwise deemed necessary. 		
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.		Manufacturer/ supplier or the competent authority to specify temperature using applicable temperature scale. P420 Store separately.		

Organic peroxides

Hazard category	Signal word	Hazard statement	Symbol
Туре В	Danger	H241 Heating may cause a fire or explosion	

Precautionary statements					
Prevention	Response	Storage	Disposal		
P210	P370 + P380 + P375 [+	P403	P501		
Keep away from heat, hot surfaces, sparks,	P378] In case of fire:	Store in a well- ventilated place.	Dispose of contents/ container to		
open flames and other ignition sources. No smoking.	Evacuate area. Fight fire remotely due to the risk of explosion.	 except for temperature controlled self- reactive 	in accordance with local/ regional/ national/ international		
P234	[Useto extinguish].	substances and	regulations (to		
Keep only in original packaging.	 text in square brackets to be used if water increases risk. 	mixtures or organic peroxides because condensation and	be specified). Manufacturer/supplier or the competent		
P235 Keep cool.	Manufacturer/ supplier or the	consequent freezing may take place.	authority to specify whether disposal		
– may be omitted if	competent authority	P410	requirements apply to contents, container or		
P411 is given on the label	to specify appropriate media.	Protect from sunlight.	both.		
P240		P411			
Ground and bond container and		Store at temperatures not exceeding°C/ °F.			
receiving equipment.		— if temperature			
 if electrostatically sensitive and able to generate an explosive atmosphere. 		control is required (according to section 2.8.2.3 or 2.15.2.3 of the GHS) or if otherwise			
P280		deemed necessary.			
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/		Manufacturer/ supplier or the competent authority to specify temperature using applicable temperature scale.			
Manufacturer/supplier		P420			
or the competent authority to specify the appropriate personal protective equipment.		Store separately.			

Organic peroxides

Hazard category	Signal word	Hazard statement	Symbol
Туре С	Danger	H242 Heating may cause a fire	
Туре D	Danger	H242 Heating may cause a fire	
Туре Е	Warning	H242 Heating may cause a fire	\checkmark
Type F	Warning	H242 Heating may cause a fire	

Precautionary statements Prevention Response Storage Disposal P210 P370 + P378P403 P501 Keep away from heat, hot In case of fire: Use ... Store in a well-Dispose of contents/ to extinguish. ventilated place. container to ... surfaces, sparks, open flames and other ignition - if water increases - except for ... in accordance sources. No smoking. temperature controlled risk. with local/ regional/ self- reactive P234 national/ international ... Manufacturer/ substances and regulations (to Keep only in original supplier or the mixtures or organic be specified). packaging. competent authority peroxides because Manufacturer/ to specify appropriate P235 condensation and supplier or the media. consequent freezing competent Keep cool. may take place. authority to specify – may be omitted if P411 whether disposal P410 is given on the label. requirements apply to Protect from sunlight. contents, container or P240 both. P411 Ground and bond container and receiving Store at temperatures equipment. not exceeding ...°C/... °F. - if electrostatically sensitive and able to - if temperature generate an explosive control is required atmosphere. (according to section 2.8.2.3 or 2.15.2.3 P280 of the GHS) or if Wear protective gloves/ otherwise deemed protective clothing/ necessary. eye protection/ ... Manufacturer/ face protection/ supplier or the hearing protection/... competent authority Manufacturer/supplier or to specify temperature the competent authority using applicable to specify the appropriate temperature scale. personal protective equipment. P420 Store separately.

Note: Hazard category Type G: There are no label elements allocated to this hazard category.

Corrosive to metals

Hazard category	Signal word	Hazard statement	Symbol
1	Warning	H290 May be corrosive to metals	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P234	P390	P406		
Keep only in original packaging.	Absorb spillage to prevent material damage.	Store in corrosive resistant/ container with a resistant inner liner.		
		— may be omitted if P234 is given on the label.		
		Manufacturer/ supplier or the competent authority to specify other compatible materials.		

Desensitised explosives

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H206 Fire, blast or projection hazard; increased risk of explosion if desensitising agent is reduced	
2	Danger	H207 Fire or projection hazard; increased risk of explosion if desensitising agent is reduced	
3	Warning	H207 Fire or projection hazard; increased risk of explosion if desensitising agent is reduced	

Precautionary statements					
Prevention	Response	Storage	Disposal		
P210	P370+P380+P375	P401	P501		
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.	Store in accordance with Manufacturer/ supplier or the	Dispose of contents/ containers to in accordance with local/regional/		
P212		competent authority to	national /international		
Avoid heating under confinement or reduction of the desensitising agent.		specify local/regional/ national/international regulations as applicable.	regulations (to be specified). Manufacturer/ supplier or the		
P230			competent authority to specify		
Keep wetted with			whether disposal		
Manufacturer/supplier or the competent authority to specify appropriate material.			requirements apply to contents, container or both.		
P233					
Keep container tightly closed.					
P280					
Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.					

Desensitised explosives

Hazard category	Signal word	Hazard statement	Symbol
4	Warning	H208 Fire hazard; increased risk of explosion if desensitising agent is reduced	

Precautionary statements					
Prevention	Response	Storage	Disposal		
P210	P371+P380+P375	P401	P501		
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	In case of major fire and large quantities: Evacuate area. Fight fire remotely due to	Store in accordance with Manufacturer/ supplier or the	Dispose of contents/ containers to in accordance with local/regional/		
P212	the risk of explosion.	competent authority to	national /international		
Avoid heating under confinement or reduction of the desensitising agent.		specify local/regional/ national/international regulations as applicable.	regulations (to be specified). Manufacturer/ supplier or the		
P230			competent authority to specify		
Keep wetted with			whether disposal		
Manufacturer/supplier or the competent authority to specify appropriate material.			requirements apply to contents, container or both.		
P233					
Keep container tightly closed.					
P280					
Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection/ Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.					

Acute toxicity - oral

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H300 Fatal if swallowed	
2	Danger	H300 Fatal if swallowed	
3	Danger	H301 Toxic if swallowed	

Precautionary statements

P264P301 + P310P405P501Washthoroughly after handling.IF SWALLOWED: Immediately call a POISON CENTER/ doctor/Store locked up.Dispose of cont container to Manufacturer/ supplier or the competent authority to specify parts of the body to be washed after handling.IF SWALLOWED: Immediately call a POISON CENTER/ doctor/Store locked up.Dispose of cont container toP270Manufacturer/ supplier or the competent authority to specify the appropriate source of emergency medical advice.Manufacturer/ supplier or the competent authority to specify the appropriate source of emergency medical advice.Manufacturer/ supplier or the competent authority to specify the appropriate source of emergency medical advice.Manufacturer/ supplier or the competent authority to specify the appropriate source of emergency medical advice.P321Specific treatmentSpecific treatmentSpecific treatment	Prevention	Response	Storage	Disposal
(see on this label)both if immediate administration of antidote is required.both Reference to supplemental first aid instruction.both.P330Rinse mouth.	Washthoroughly after handling. Manufacturer/ supplier or the competent authority to specify parts of the body to be washed after handling. P270 Do not eat, drink or smoke when using this	IF SWALLOWED: Immediately call a POISON CENTER/ doctor/ Manufacturer/ supplier or the competent authority to specify the appropriate source of emergency medical advice. P321 Specific treatment (see on this label) - if immediate administration of antidote is required. Reference to supplemental first aid instruction. P330		Dispose of contents/ container to in accordance with local/ regional/ national/ internationa regulations (to be specified). Manufacturer/ supplier or the

Acute toxicity - oral

Hazard category	Signal word	Hazard statement	Symbol
4	Warning	H302 Harmful if swallowed	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P264	P301 + P312		P501	
Washthoroughly after handling.	IF SWALLOWED: Call a POISON CENTRE/		Dispose of contents/ container to	
Manufacturer/ supplier or the competent authority to specify parts of the body to be washed after handling. P270 Do not eat, drink or smoke when using this product.	doctor/if you feel unwell. Manufacturer/ supplier or the competent authority to specify the appropriate source of emergency medical advice. P330 Rinse mouth.		in accordance with local/ regional/ national/ international regulations (to be specified). Manufacturer/ supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.	

Acute toxicity – dermal

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H310 Fatal in contact with skin	
2	Danger	H310 Fatal in contact with skin	

Precautionary statem	ents		
Prevention	Response	Storage	Disposal
P262	P302 + P352	P405	P501
Do not get in eyes, on skin, or on clothing.	IF ON SKIN: Wash with plenty of water/	Store locked up.	Dispose of contents/ container to
P264	Manufacturer/supplier		in accordance
Washthoroughly after handling.	or the competent authority may specify a cleansing agent		with local/ regional/ national/ international regulations (to
Manufacturer/ supplier or the competent authority to specify parts of the body to be washed after handling.	if appropriate, or may recommend an alternative agent in exceptional cases if water is clearly inappropriate.		be specified). Manufacturer/ supplier or the competent authority to specify whether disposal
P270	P310		requirements apply to contents, container or
Do not eat, drink or smoke when using this product.	Immediately call a POISON CENTRE/ doctor/		both.
P280	Manufacturer/supplier		
Wear protective gloves/protective clothing.	or the competent authority to specify the appropriate source of emergency medical		
Manufacturer/supplier	advice.		
or the competent authority may further	P321		
specify type of equipment where	Specific treatment (see on this label)		
appropriate.	 if immediate measures such as specific cleansing agent is advised. 		
	Reference to supplemental first aid.		
	P361+P364		
	Take off immediately all contaminated clothing and wash it before reuse.		

Acute toxicity – dermal

Hazard category	Signal word	Hazard statement	Symbol
3	Danger	H311 Toxic in contact with skin	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P280	P302 + P352	P405	P501	
Wear protective gloves/ protective clothing	IF ON SKIN: Wash with plenty of water/	Store locked up.	Dispose of contents/ container to	
clothing. Manufacturer/supplier or the competent authority may further specify type of equipment where appropriate.	Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate, or may recommend an alternative agent in exceptional cases if water is clearly inappropriate.		in accordance with local/ regional/ national/ international regulations (to be specified). Manufacturer/ supplier or the competent authority to specify whether disposal requirements apply to	
	P312		contents, container or	
	Call a POISON CENTRE/ doctor/if you feel unwell.		both.	
	Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice.			
	P321			
	Specific treatment (see on this label)			
	 if immediate measures such as specific cleansing agent is advised. 			
	Reference to supplemental first aid instruction.			
	P361 + P364			
	Take off immediately all contaminated clothing and wash it before reuse.			

Acute toxicity – dermal

Hazard category	Signal word	Hazard statement	Symbol
4	Warning	H312 Harmful in contact with skin	

Precautionary statem	ents		
Prevention	Response	Storage	Disposal
P280	P302 + P352		P501
Wear protective gloves/ protective	IF ON SKIN: Wash with plenty of water/		Dispose of contents/ container to
clothing. Manufacturer/supplier or the competent authority may further specify type of equipment where appropriate.	Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate, or may recommend an alternative agent in exceptional cases if water is clearly inappropriate. P312 Call a POISON CENTRE/		in accordance with local/ regional/ national/ international regulations (to be specified). Manufacturer/ supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.
	doctor/if you feel unwell.		DOIN.
	Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice.		
	P321		
	Specific treatment (see on this label)		
	 if immediate measures such as specific cleansing agent is advised. 		
	Reference to supplemental first aid instruction.		
	P362 + P364		
	Take off contaminated clothing and wash it before reuse.		

Acute toxicity - inhalation

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H330 Fatal if inhaled	
2	Danger	H330 Fatal if inhaled	4992

Precautionary statements				
Prevention	Response	Storage	Disposal	
P260	P304 + P340	P403 + P233	P501	
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.	IF INHALED: Remove person to fresh air and keep comfortable for	Store in a well- ventilated place. Keep container tightly	Dispose of contents/ container to	
Manufacturer/supplier	breathing.	closed.	with local/ regional/	
or the competent authority to specify	P310	— if the chemical is volatile and may	national/ international regulations (to	
applicable conditions.	Immediately call a POISON CENTRE/	generate a hazardous	be specified).	
P271	doctor/	atmosphere.	Manufacturer/ supplier or the	
Use only outdoors or in a well-ventilated	Manufacturer/supplier or the competent	P405	competent	
area.	authority to specify the	Store locked up.	authority to specify whether disposal requirements apply to contents, container or	
P284	appropriate source of emergency medical			
[In case of inadequate	advice.		both.	
ventilation] wear respiratory protection.	P320			
– text in square brackets may be used if additional information	Specific treatment is urgent (see on this label)			
is provided with the chemical at the point of use that explains	— if immediate administration of antidote is required.			
what type of ventilation would be adequate for safe use.	Reference to supplemental first aid instruction.			
Manufacturer/supplier or the competent authority to specify equipment.				

Acute toxicity - inhalation

Hazard category	Signal word	Hazard statement	Symbol
3	Danger	H331 Toxic if inhaled	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P261	P304 + P340	P403 + P233	P501	
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.	IF INHALED: Remove person to fresh air and keep comfortable for	Store in a well- ventilated place. Keep container tightly	Dispose of content/ container to	
 may be omitted if P260 is given on the label. Manufacturer/ supplier or the competent authority to specify applicable conditions. P271 Use only outdoors or in a well-ventilated 	breathing. P311 Call a POISON CENTRE/ doctor Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice.	 Keep container tightly closed. if the chemical is volatile and may generate a hazardous atmosphere. P405 Store locked up. 	in accordance with local/ regional/ national/ international regulations (to be specified). Manufacturer/ supplier or the competent authority to specify whether disposal requirements apply to contents, container or	
in a well-ventilated area.	P321 Specific treatment (see on this label) - if immediate specific measures are required. Reference to supplemental first aid instruction.		both.	

Acute toxicity – inhalation

Hazard category	Signal word	Hazard statement	Symbol
4	Danger	H331 Toxic if inhaled	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P261	P304 + P340			
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.	IF INHALED: Remove person to fresh air and keep comfortable for			
— may be omitted if P260 is given on the Iabel.	breathing. P312 Call a POISON			
Manufacturer/ supplier or the competent	CENTRE/doctor/if you feel unwell.			
authority to specify applicable conditions.	Manufacturer/ supplier or the			
P271	competent authority to			
Use only outdoors or in a well-ventilated area.	specify the appropriate source of emergency medical advice.			

Skin corrosion/irritation

Hazard category	Signal word	Hazard statement	Symbol
1A to 1C	Danger	H314 Causes severe skin burns and eye damage	A A A A A A A A A A A A A A A A A A A

Precautionary state	ements		
Prevention	Response	Storage	Disposal
P260	P301 + P330 + P331	P405	P501
Do not breathe dusts or mists.	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	Store locked up.	Dispose of contents/
— if inhalable	P303 + P361 + P353		container to
particles of dusts or mists may occur during use.	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or		in accordance with local/ regional/ national/ international
P264	shower].		regulations (to
Washthoroughly after handling.	 text in square brackets to be included where the manufacturer/ supplier or the competent authority 		be specified). Manufacturer/
Manufacturer/ supplier or the	considers it appropriate for the specific chemical.		supplier or the competent authority to
competent authority to specify parts	P363		specify whether
of the body to be washed after	Wash contaminated clothing before reuse.		disposal requirements apply to contents,
handling.	P304 + P340		container or both.
P280 Wear protective gloves/ protective	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
clothing/ eye	P310		
protection/ face protection.	Immediately call a POISON CENTRE/ doctor/		
Manufacturer/ supplier or the competent authority may further specify type of equipment	Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice.		
where appropriate.	P321		
	Specific treatment (see on this label)		
	Reference to supplemental first aid instruction. Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate.		
	P305 + P351 + P338		
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		

Skin corrosion/irritation

Hazard category	Signal word	Hazard statement	Symbol
2	Warning	H315 Causes skin irritation	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P264	P302 + P352			
Washthoroughly after handling.	IF ON SKIN: Wash with plenty water/			
Manufacturer/ supplier or the competent authority to specify parts of the body to be washed after handling.	Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate, or may recommend an alternative agent in exceptional cases if water is clearly inappropriate.			
	P321			
P280 Wear protective gloves. Manufacturer/	Specific treatment (see on this label) Reference to supplemental first aid instruction. Manufacturer/supplier or the competent authority may specify			
supplier or the competent authority may further specify	a cleansing agent if appropriate. P332 + P313			
type of equipment where appropriate.	If skin irritation occurs: Get medical advice/attention.			
	 may be omitted when P333+P313 appears on the label Manufacturer/ supplier or the competent authority to select medical advice or attention as appropriate. 			
	P362 + P364			
	Take off contaminated clothing and wash it before reuse.			

Eye damage/irritation

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H318 Causes serious eye damage	Red A

Precautionary statements				
Prevention	Response	Storage	Disposal	
P280	P305 + P351 + P338			
Wear eye protection/face protection.	IF IN EYES: Rinse cautiously with water for several minutes. Remove			
Manufacturer/supplier or the competent authority may further	contact lenses, if present and easy to do. Continue rinsing.			
specify type of equipment where	P310			
appropriate.	Immediately call a POISON CENTRE/doctor/			
	Manufacturer/supplier or the competent authority to specify the appropriate source of emergency medical advice.			

Eye damage/irritation

Hazard category	Signal word	Hazard statement	Symbol
2A	Warning	H319 Causes serious eye irritation	! >

Prevention	Response	Storage	Disposal
P264	P305 + P351 + P338		
Washthoroughly after handling.	IF IN EYES: Rinse cautiously with		
Manufacturer/supplier or the competent authority to specify parts of the body to be washed	water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
after handling.	P337 + P313		
P280	If eye irritation persists: Get		
Wear eye protection/face	medical advice/attention.		
protection.	Manufacturer/supplier or the		
Manufacturer/supplier or the competent authority may further specify type of equipment where appropriate.	competent authority to select medical advice or attention as appropriate.		

Eye damage/irritation

Hazard category	Signal word	Hazard statement	Symbol
2B	Warning	H320 Causes eye irritation	No symbol

Precautionary statements				
Prevention	Response	Storage	Disposal	
P264	P305 + P351 + P338			
Washthoroughly after handling.	IF IN EYES: Rinse cautiously with			
Manufacturer/supplier or the competent authority to specify parts of the body to be washed	water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
after handling.	P337 + P313			
	If eye irritation persists: Get medical advice/attention.			
	Manufacturer/supplier or the competent authority to select medical advice or attention as appropriate.			

Sensitisation – respiratory

Hazard category	Signal word	Hazard statement	Symbol
1, 1A, 1B	Danger	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P261	P304 + P340		P501	
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.	IF INHALED: remove person to fresh air and keep comfortable for		Dispose of contents/ container to	
— may be omitted if P260 is given on the label.	breathing. P342 + P311 If experiencing		in accordance with local/ regional/ national/ international regulations (to	
Manufacturer/supplier or the competent authority to specify applicable conditions.	respiratory symptoms: Call a POISON CENTRE/doctor/ Manufacturer/		be specified). Manufacturer/supplier or the competent authority to specify	
P284	supplier or the		whether disposal requirements apply to	
[In case of inadequate ventilation] wear respiratory protection.	competent authority to specify the appropriate source of emergency medical advice.		contents, container or both.	
- text in square brackets may be used if additional information is provided with the chemical at the point of use that explains what type of ventilation would be adequate for safe use.				
Manufacturer/supplier or the competent authority to specify equipment.				

Sensitisation - skin

Hazard category	Signal word	Hazard statement	Symbol
1, 1A, 1B	Danger	H317 May cause an allergic skin reaction	

Precautionary statem	Precautionary statements				
Prevention	Response	Storage	Disposal		
P261	P302 + P352		P501		
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.	IF ON SKIN: Wash with plenty of water/		Dispose of contents/ container to		
– may be omitted if P260 is given on the label.			in accordance with local/ regional/ national/ international regulations (to		
Manufacturer/ supplier or the competent authority to specify applicable conditions.	cleansing agent if appropriate, or may recommend an alternative agent in exceptional cases		be specified). Manufacturer/supplier or the competent authority to specify whether disposal		
P272 Contaminated work	if water is clearly inappropriate.		requirements apply to contents, container or		
clothing should not	P333 + P313		both.		
be allowed out of the workplace.	If skin irritation or rash occurs: Get medical				
P280	advice/ attention.				
Wear protective gloves. Manufacturer/supplier or the competent authority may further	Manufacturer/ supplier or the competent authority to select medical advice or attention as appropriate.				
specify type of equipment where	P321				
appropriate.	Specific treatment (see on this label)				
	Reference to supplemental first aid instruction. Manufacturer/supplier or the competent authority may specify a cleansing agent if appropriate.				
	P362 + P364				
	Take off contaminated clothing and wash it before reuse.				

Germ cell mutagenicity

Hazard category	Signal word	Hazard statement	Symbol
1A, 1B	Danger	H340 May cause genetic defects <>	
2	Warning	H341 Suspected of causing genetic defects <>	
		<> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P201	P308 + P313	P405	P501	
Obtain special instructions before use.	IF exposed or concerned: Get medical advice/	Store locked up.	Dispose of contents/ container to	
– omit for consumer products where P202 is used.	medical advice/ attention. Manufacturer/ supplier or the competent authority		in accordance with local/ regional/ national/ international regulations (to	
P202	to select medical		be specified). Manufacturer/supplier	
Do not handle until all safety precautions have been read and understood.	advice or attention as appropriate.		or the competent authority to specify whether disposal requirements apply to	
P280			contents, container or both.	
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/				
Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.				

Carcinogenicity

Hazard category	Signal word	Hazard statement	Symbol
1A, 1B	Danger	H350 May cause cancer <>	
2	Warning	H351 Suspected of causing cancer <>	
		<> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P201	P308 + P313	P405	P501	
Obtain special instructions before	IF exposed or concerned: Get	Store locked up.	Dispose of contents/ container to	
use. — omit for consumer products where P202 is used.	medical advice/ attention. Manufacturer/ supplier or the competent authority		in accordance with local/ regional/ national/ international regulations (to	
P202	to select medical		be specified). Manufacturer/supplier	
Do not handle until all safety precautions have been read and understood.	advice or attention as appropriate.		or the competent authority to specify whether disposal requirements apply to	
P280			contents, container or both.	
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/			boul.	
Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.				

Reproductive toxicity

Hazard category	Signal word	Hazard statement	Symbol
1A, 1B	Danger	H360 May damage fertility or the unborn child <> <<>>	
2	Warning	H361 Suspected of damaging fertility or the unborn child <> <<>>	
		<> (state specific effect if known)	
		<<>> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P201	P308 + P313	P405	P501	
Obtain special instructions before	IF exposed or concerned: Get	Store locked up.	Dispose of contents/ container to	
use. – omit for consumer products where P202 is used. P202	medical advice/ attention. Manufacturer/ supplier or the competent authority to select medical		in accordance with local/ regional/ national/ international regulations (to be specified). Manufacturer/supplier	
Do not handle until all safety precautions have been read and understood.	advice or attention as appropriate.		or the competent authority to specify whether disposal requirements apply to	
P280			contents, container or both	
Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/				
Manufacturer/supplier or the competent authority to specify the appropriate personal protective equipment.				

Reproductive toxicity (effects on or via lactation)

Hazard category	Signal word	Hazard statement	Symbol
(additional)	No signal word	H362 May cause harm to breast-fed children	No symbol

Precautionary statements				
Prevention	Response	Storage	Disposal	
P201	P308 + P313			
Obtain special instructions before use.	IF exposed or concerned: Get medical advice/			
— omit for consumer products where P202 is used.	attention. Manufacturer/ supplier or the competent authority			
P202	to select medical			
Do not handle until all safety precautions have been read and understood.	advice or attention as appropriate.			
P260				
Do not breathe dusts or mists.				
— if inhalable particles of dusts or mists may occur during use.				
P263				
Avoid contact during pregnancy and while nursing.				
P264				
Wash thoroughly after handling.				
Manufacturer/ supplier or the competent authority to specify parts of the body to be washed after handling.				
P270				
Do not eat, drink or smoke when using this product.				

PREPARATION OF SAFETY DATA SHEETS FOR HAZARDOUS CHEMICALS – CODE OF PRACTICE

Specific target organ toxicity (single exposure)

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H370 Causes damage to organs <> <<> (or state all organs affected if known) <<>> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P260	P308 + P311	P405	P501	
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.	IF exposed or concerned: Call a POISON CENTRE/	Store locked up.	Dispose of contents/ container to	
Manufacturer/ supplier or the competent authority to specify applicable conditions. P264	doctor/ Manufacturer/ supplier or the competent authority to specify the appropriate		with local/ regional/ national/ international regulations (to be specified). Manufacturer/supplier	
Washthoroughly after handling.	source of emergency medical advice. P321		or the competent authority to specify whether disposal	
Manufacturer/ supplier or the competent authority to specify parts of the body to be washed after handling. P270	Specific treatment (see on this label) - if immediate measures are required. Reference to supplemental first aid instruction.		requirements apply to contents, container or both.	
Do not eat, drink or smoke when using this product.				

Specific target organ toxicity (single exposure)

Hazard category	Signal word	Hazard statement	Symbol
2	Warning	H371 May cause damage to organs <> <<> (or state all organs affected, if known) <<> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P260	P308 + P311	P405	P501	
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.	IF exposed or concerned: Call a POISON CENTRE/	Store locked up.	Dispose of contents/ container to	
Manufacturer/ supplier or the competent authority to specify applicable conditions. P264 Washthoroughly after handling. Manufacturer/	doctor/ Manufacturer/ supplier or the competent authority to specify the appropriate source of emergency medical advice.		in accordance with local/ regional/ national/ international regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to	
supplier or the competent authority to specify parts of the body to be washed after handling.			contents, container or both.	
P270				
Do not eat, drink or smoke when using this product.				

Specific target organ toxicity (single exposure)

Hazard category	Signal word	Hazard statement	Symbol
3	Warning	H335 May cause respiratory irritation;	
		or	
		H336 May cause drowsiness or	•
		dizziness	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P261	P304 + P340	P403 + P233	P501	
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. — may be omitted if	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	Store in a well- ventilated place. Keep container tightly closed.	Dispose of contents/ container to in accordance with local/ regional/	
 P260 is given on the label. Manufacturer/ supplier or the competent authority to specify applicable conditions. P271 Use only outdoors or in a well-ventilated area. 	P312 Call a POISON CENTRE/doctor/if you feel unwell. Manufacturer/ supplier or the competent authority to specify the appropriate source of emergency medical advice.	 if the chemical is volatile and may generate a hazardous atmosphere. P405 Store locked up. 	national/ international regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.	

Specific target organ toxicity (repeated exposure)

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H372 Causes damage to organs <> through prolonged or repeated exposure <<>>	
		<> (state all organs affected, if known)	
		<<>> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P260	P314		P501	
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.	Get medical advice/ attention if you feel unwell.		Dispose of contents/ container to	
Manufacturer/supplier or the competent authority to specify applicable conditions.	Manufacturer/ supplier or the competent authority to select medical		in accordance with local/ regional/ national/ international regulations (to be specified).	
P264	advice or attention as appropriate.		Manufacturer/supplier or the competent	
Wash thoroughly after handling.			authority to specify whether disposal	
Manufacturer/ supplier or the competent authority to specify parts of the body to be washed after handling.			requirements apply to contents, container or both.	
P270				
Do not eat, drink or smoke when using this product.				

Specific target organ toxicity (repeated exposure)

Hazard category	Signal word	Hazard statement	Symbol
2	Warning	H373 May cause damage to organs <> through prolonged or repeated exposure <<>>	
		<> (state all organs affected, if known)	·
		<<>> (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	

Precautionary statements				
Prevention	Response	Storage	Disposal	
P260	P314		P501	
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.	Get medical advice/ attention if you feel unwell.		Dispose of contents/ container to	
Manufacturer/supplier or the competent authority to specify applicable conditions.	Manufacturer/ supplier or the competent authority to select medical advice or attention as appropriate.		with local/ regional/ national/ international regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.	

Aspiration hazard

Hazard category	Signal word	Hazard statement	Symbol
1	Danger	H304 May be fatal if swallowed and enters airways	

Precautionary statements					
Prevention	Response	Storage	Disposal		
	P301 + P310	P405	P501		
	IF SWALLOWED: Immediately call a POISON CENTRE/ doctor/ Manufacturer/ supplier or the competent authority to specify the appropriate source of emergency medical advice. P331 Do NOT induce vomiting.	Store locked up.	Dispose of contents/ container to in accordance with local/ regional/ national/ international regulations (to be specified). Manufacturer/supplier or the competent authority to specify whether disposal requirements apply to contents, container or both.		

Additional non-GHS hazard statements

The following 12 non-GHS hazard statements should be used on SDS of hazardous chemicals, where applicable.

Physical hazard statements

AUH001: Explosive when dry

For explosive substances and mixtures placed on the market wetted with water or alcohols or diluted with other chemicals to suppress their explosives properties.

AUH006: Explosive with or without contact with air

For substances and mixtures that are unstable at ambient temperatures; for example, acetylene.

AUH014: Reacts violently with water

For substances and mixtures that react violently with water; for example, acetyl chloride, alkali metals and titanium tetrachloride.

AUH018: In use, may form flammable/explosive vapour-air mixture

For substances and mixtures not classified as flammable themselves but which may form flammable/explosive vapour—air mixtures. For substances this might be the case for halogenated hydrocarbons and for mixtures this might be the case due to a volatile flammable component or due to the loss of a volatile non-flammable component.

AUH019: May form explosive peroxides

For substances and mixtures that may form explosive peroxides during storage; for example, diethyl ether, 1,4-dioxan.

AUH044: Risk of explosion if heated under confinement

For substances and mixtures not classified as explosive but which may nevertheless display explosive properties in practice if heated under sufficient confinement. In particular, substances and mixtures that decompose explosively if heated in a steel drum do not show this effect if heated in less-strong containers.

Human health hazard statements

AUH029: Contact with water liberates toxic gas

For substances and mixtures that, when in contact with water or damp air, evolve gases classified for acute toxicity in Category 1, 2 or 3 in potentially dangerous amounts; for example, aluminium phosphide, phosphorus pentasulphide.

AUH031: Contact with acids liberates toxic gas

For substances and mixtures that react with acids to evolve gases classified for acute toxicity in Category 3 in dangerous amounts; for example, sodium hypochlorite and barium polysulphide.

AUH032: Contact with acids liberates very toxic gas

For substances and mixtures that react with acids to evolve gases classified for acute toxicity in Category 1 or 2 in dangerous amounts; for example, salts of hydrogen cyanide, sodium azide.

AUH066: Repeated exposure may cause skin dryness or cracking

For substances and mixtures which may cause concern as a result of skin dryness, flaking or cracking but which do not meet the criteria for skin irritancy.
AUH070: Toxic by eye contact

For substances or mixtures where an eye irritation test has resulted in overt signs of systemic toxicity or mortality among the animals tested, which is likely to be attributed to absorption of the substance or mixture through the mucous membranes of the eye. The statement should also be applied if there is evidence in humans for systemic toxicity after eye contact.

The statement should also be applied where a substance or a mixture contains another substance labelled for this effect, if the concentration of this substance is equal to, or greater than 0.1%.

AUH071: Corrosive to the respiratory tract

For substances and mixtures in addition to classification for inhalation toxicity, if data is available that indicates the mechanism of toxicity was corrosivity.

In addition to an appropriate acute toxicity symbol, a 'corrosion' symbol (similar to the 'corrosion' symbol used for skin and eye corrosivity) is added along with the hazard statement 'AUH071: Corrosive to the respiratory tract'.

For substances and mixtures in addition to classification for skin corrosivity, if no acute inhalation test data is available and which may be inhaled.

Appendix 4 Guide for selecting generic names

This appendix describes a procedure for naming hazardous chemicals and the division of substances into families. Section 3.3 of this Code explains when generic names may be used.

The methods for categorising substances are explained in Division of substances into families and sub-families below.

Establishing the generic name

General principles

In selecting a generic name, the most specific generic name must be chosen. The following approach should be adopted:

- identify the functional groups and chemical elements present in the molecule
- determine the most important functional groups and chemical elements that contribute to its properties.

The identified functional groups and elements taken into account are the names of the families and sub-families set out in Table 11 below in the form of a (non-restrictive) list.

Practical application

After having conducted a search to see if the substance belongs to one or more families or sub-families on the list in Table 11 below, the generic name can be established in the following way:

• If the name of a family or sub-family is sufficient to characterise the chemical elements or important functional groups, this name will be chosen as the generic name. Table 8 shows some examples.

Name	Family • Sub-family	Generic name
1,4-dihydoxybenzene	604: Phenols and derivatives	Phenol derivative
Butanols	603: Alcohols and derivativesAliphatic alcohols	Aliphatic alcohol
2-isopropoxyethanol	603: Alcohols and derivatives Glycolethers	Glycolether
Methacrylate	607: Organic acids and derivatives • Methacrylate	Methacrylate

T-61-0	Enverthe and a sub- frame:	les a sure a sufficient de	establish generic name
i anie X	Family or sub-tami	iv name sumcient to	estantish deneric name
rubic o	i arring or oub rarri	ly name oumoient to	cotabilori generio narrie

If the name of a family or sub-family is not sufficient to characterise the chemical elements of important functional groups, the generic name should be a combination of the corresponding different family or sub-family names. Table 9 shows some examples.

Name	Family • Sub-family	Generic name
Lead hexafluorosilicate	009: Fluorine compoundsInorganic fluorides082: Lead compounds	Inorganic lead fluoride
Chlorobenzene	 602: Halogenated hydrocarbons Halogenated aromatic hydrocarbons 017: Chlorine compounds 	Chlorinated aromatic hydrocarbon
2,3,6-Trichlorophenylacetic acid	 607: Organic acids and derivatives Halogenated aromatic acids 017: Chlorine compounds 	Chlorinated aromatic acid
1-Chloro-1-nitropropane	610: Chloronitrated compounds601: HydrocarbonsAliphatic hydrocarbons	Chlorinated aliphatic hydrocarbon
Tetrapropyl dithiopyrophosphate	015: Phosphorus compoundsPhosphoric esters016: Sulphur compounds	Thiophosphoric ester

 Table 9
 Family and sub-family names combined to establish generic name

Note: In the case of certain elements, notably metals, the name of the family or sub-family may be indicated by the words 'organic' or 'inorganic'. Table 10 shows some examples.

T-LI- 10	E il la f i	les in a line a line all'a a de al las s	(- man - in i - i - m lim		establish generic name
I ANIA I I I	Family or sub-rami	iv name indicated nv	ordanic or in	organic to i	aeraniien nanarie nama
TUDIC TO					

Name	Family • Sub-family	Generic name
Dimercury dichloride	080: Mercury compounds	Inorganic mercury compound
Barium acetate	056: Barium compounds	Organic barium compound
Ethyl nitrite	007: Nitrogen compounds • Nitrites	Organic nitrite
Sodium hydrosulphite	016: Sulphur compounds	Inorganic sulphur compound

Division of substances into families and sub families

The families of substances are defined in the following manner:

- inorganic or organic substances whose properties are identified by having a common chemical element as their chief characteristic. The family name is derived from the name of the chemical element. These families are identified in Table 11 below by the atomic number of the chemical element (Family No. 001 to 103)
- organic substances whose properties are identified by having a common functional group as their chief characteristic:
 - the family name is derived from the functional group name
 - these families are identified by the number convention found in Table 11 below (Family No. 601 to 650).

Sub-families bringing together substances with a common specific character have been added in certain cases.

Family no.	Family • Sub-family
001	Hydrogen compounds • Hydrides
003	Lithium compounds
004	Beryllium compounds
005	Boron compounds Boranes Borates

Table 11	Division of substances into families and sub-families

Family no.	Family • Sub-family
006	Carbon compounds Carbamates Inorganic carbon compounds Salts of hydrogen cyanide Urea and derivatives
007	 Nitrogen compounds Quaternary ammonium compounds Acid nitrogen compounds Nitrates Nitrites
008	Oxygen compounds
009	Fluorine compounds Inorganic fluorides
011	Sodium compounds
012	Magnesium compounds Organometallic magnesium derivatives
013	Aluminium compoundsOrganometallic aluminium derivatives
014	Silicon compounds Silicones Silicates
015	 Phosphorus compounds Acid phosphorus compounds Phosphonium compounds Phosphoric esters Phosphates Phosphites Phosphoramides and derivatives
016	Sulphur compounds Acid sulphur compounds Mercaptans Sulphates Sulphites
017	Chlorine compounds Chlorates Perchlorates
018	Argon compounds

Family no.	Family • Sub-family
019	Potassium compounds
020	Calcium compounds
021	Scandium compounds
022	Titanium compounds
023	Vanadium compounds
024	Chromium compounds Chromium VI compounds
025	Manganese compounds
026	Iron compounds
027	Cobalt compounds
028	Nickel compounds
029	Copper compounds
030	Zinc compounds Organometallic zinc derivatives
031	Gallium compounds
032	Germanium compounds
033	Arsenic compounds
034	Selenium compounds
035	Bromine compounds
036	Krypton compounds
037	Rubidium compounds
038	Strontium compounds
039	Yttrium compounds
040	Zirconium compounds
041	Niobium compounds
042	Molybdenum compounds
043	Technetium compounds

Family no.	Family • Sub-family
044	Ruthenium compounds
045	Rhodium compounds
046	Palladium compounds
047	Silver compounds
048	Cadmium compounds
049	Indium compounds
050	Tin compounds Organometallic tin derivatives
051	Antimony compounds
052	Tellurium compounds
053	lodine compounds
054	Xenon compounds
055	Caesium compounds
056	Barium compounds
057	Lanthanum
058	Cerium compounds
059	Praseodymium compounds
060	Neodymium compounds
061	Promethium compounds
062	Samarium compounds
063	Europium compounds
064	Gadolinium compounds
065	Terbium compounds
066	Dysprosium compounds
067	Holmium compounds
068	Erbium compounds

Family no.	Family • Sub-family
069	Thulium compounds
070	Ytterbium compounds
071	Lutetium compounds
072	Hafnium compounds
073	Tantalum compounds
074	Tungsten compounds
075	Rhenium compounds
076	Osmium compounds
077	Iridium compounds
078	Platinum compounds
079	Gold compounds
080	Mercury compounds Organometallic mercury derivatives
081	Thallium compounds
082	Lead compounds Organometallic lead derivatives
083	Bismuth compounds
084	Polonium compounds
085	Astatine compounds
086	Radon compounds
087	Francium compounds
088	Radium compounds
089	Actinium compounds
090	Thorium compounds
091	Protactinium compounds
092	Uranium compounds

Family no.	Family • Sub-family
093	Neptunium compounds
094	Plutonium compounds
095	Americium compounds
096	Curium compounds
097	Berkelium compounds
098	Californium compounds
099	Einsteinium compounds
100	Fermium compounds
101	Mendelevium compounds
102	Nobelium compounds
103	Lawrencium compounds

Family no.	Family • Sub-family
601	 Hydrocarbons Aliphatic hydrocarbons Aromatic hydrocarbons Alicyclic hydrocarbons Polycyclic aromatic hydrocarbons (PAH)
602	 Halogenated hydrocarbons* Halogenated aliphatic hydrocarbons* Halogenated aromatic hydrocarbons* Halogenated alicyclic hydrocarbons* * Specify according to family corresponding to halogen.

Family no.	Family • Sub-family
603	 Alcohols and derivates Aliphatic alcohols Aromatic alcohols Alicyclic alcohols Alcanolamines Epoxy derivatives Ethers Glycolethers Glycols and polyols
604	 Phenols and derivatives Halogenated phenol derivatives* * Specify according to the family corresponding to halogen.
605	 Aldehydes and derivates Aliphatic aldehydes Aromatic aldehydes Alicyclic aldehydes Aliphatic acetals Aromatic acetals Alicyclic acetals
606	 Ketones and derivatives Aliphatic Ketones Aromatic Ketones* Alicyclic Ketones * Quinones included

Family no.	Family
	Sub-family
607	Organic acids and derivatives Aliphatic acids Halogenated aliphatic acids* Aromatic acids Halogenated aromatic acids* Alicyclic acids Halogenated alicyclic acids* Aliphatic acid anhydrides Halogenated aliphatic acid anhydrides* Aliphatic acid anhydrides Halogenated aliphatic acid anhydrides* Aromatic acid anhydrides Halogenated aliphatic acid anhydrides* Aromatic acid anhydrides Halogenated alicyclic acid anhydrides* Alicyclic acid anhydrides Halogenated aliphatic acid Salts of aliphatic acid Salts of aliphatic acid Salts of alogenated aliphatic acid* Salts of halogenated alicyclic acid* Salts of halogenated alicyclic acid* Esters of aliphatic acid Esters of aliopenated alicyclic acid* Esters of halogenated alicyclic acid* Esters of alicyclic acid Esters of hal
608	* Specify according to the family corresponding to halogen.Nitriles and derivatives
609	Nitro compounds
610	Chloronitrated compounds
611	Azoxy and azo compounds

Family no.	Family • Sub-family
612	 Amine compounds Aliphatic amines and derivatives Alicyclic amines and derivatives Aromatic amines and derivatives Aniline and derivatives Benzidine and derivatives
613	 Heterocyclic bases and derivatives Benzimidazole and derivatives Imidazol and derivatives Pyrethrinoids Quinoline and derivatives Triazine and derivatives Triazole and derivatives
614	Glycosides and alkaloidsAlkaloid and derivativesGlycosides and derivatives
615	Cyanates and isocyanates Cyanates Isocyanates
616	Amides and derivativesAcetamide and derivativesAnilides
617	Organic Peroxides
650	Various substances Do not use this family. Instead, use the families or sub-families mentioned above.

Appendix 5 Other relevant information

Other relevant codes of practice

• Code of practice: Labelling of workplace hazardous chemicals

Hazard classification

- Australian Inventory of Chemical Substances (AICS)
- Chemical Assessment Reports (AICS)
- <u>Workplace Exposure Standards for Airborne Contaminants</u>
- Globally Harmonized System of Classification and Labelling of Chemicals (GHS)
- Global Portal to Information on Chemical Substances (OECD)
- Hazardous Chemical Information System
- European Chemicals Agency (ECHA)

Standards applicable to classes of hazardous substances

Code	Name
AS 1319:1994	Safety signs for the occupational environment
AS 1345:1995	Identification of the contents of pipes, conduits and ducts
AS/NZS 3833:2007	The storage and handling of mixed classes of dangerous goods, in packages and intermediate bulk containers
AS/NZS 4745:2012	Code of practice for handling combustible dusts
AS 4897:2008	The design, installation and operation of underground petroleum storage systems
AS 4976:2008	The removal and disposal of underground petroleum storage tanks
AS 4977:2008	Petroleum products — Pipeline, road tanker compartment and underground tank identification
AS/NZS 60079.10.1:2009	Explosive atmospheres — Classification of areas — Explosive gas atmospheres (IEC 60079-10-1, Ed. 1.0 (2008) MOD)
SAA/SNZ HB 76:2010	Dangerous goods — Initial emergency response guide

Table 12 Hazard classification: applicable standards

Tabla 12	Standarda fai	r dangaraya	anode or	chooific type	o of dongorous	s goods within a class
I aDIC I J	Stanuarus IUI	uanyerous	900us 01	эрестис туре	s of uarryerous	yoous within a class

Code	Name
Gases (in particular DG c	lasses 2.1, 2.2 and 2.3)
AS 1375:2013	Industrial fuel-fired appliances
AS/NZS 1596:2014	The storage and handling of LP gas
AS/NZS 4645.2:2008	Gas distribution networks — Steel pipe systems
AS 1894:1997	The storage and handling of non-flammable cryogenic and refrigerated liquids
AS/NZS 2022:2003	Anhydrous ammonia — Storage and handling
AS 2030.1:2009	Gas cylinders — General requirements
AS 2030.2:1996	The verification, filling, inspection, testing and maintenance of cylinders for storage and transport of compressed gases — Cylinders for dissolved acetylene
AS 2030.4:1985	The verification, filling, inspection, testing and maintenance of cylinders for storage and transport of compressed gases — Welded cylinders — Insulated
AS 2337.1:2004	Gas cylinder test stations — General requirements, inspection and tests — Gas cylinders
AS 2658:2008	LP gas — Portable and mobile appliances
AS 2896:2011 Medical gas systems – Installation and testing of non- flammable medical gas pipeline systems	
AS/NZS 2927:2001	The storage and handling of liquefied chlorine gas
AS 3814:2015	Industrial and commercial gas-fired appliances
AS 3961:2017	The storage and handling of liquefied natural gas
AS 4289:1995	Oxygen and acetylene gas reticulation systems
AS 4332:2004	The storage and handling of gases in cylinders
AS/NZS 5601.1:2013	Gas installations – General installations
Flammable liquids (in pai	rticular DG class 3)
AS 1940:2017	The storage and handling of flammable and combustible liquids
AS 1692:2006	Steel tanks for flammable and combustible liquids
AS/NZS 2106 (series)	Methods for the determination of the flash point of flammable liquids (closed cup)
AS/NZS 2906:2001	Fuel containers — Portable — Plastic and metal
	eactive substances, pyrophoric liquids and solids, self-heating ces which in contact with water emit flammable gases (in , 4.2 and 4.3)

	AS/NZS 4745:2012	Code of practice for handling combustible dusts
L	10,1120 17 10.2012	

Code	Name	
Oxidising liquids and solids, organic peroxides (in particular DG classes 5.1 and 5.2)		
AS 2714:2008	The storage and handling of organic peroxides	
AS 4326:2008	The storage and handling of oxidizing agents	
Toxic substances (in particu	ılar DG class 6.1)	
AS/NZS 4081:2001	The storage and handling of liquid and liquefied polyfunctional isocyanates	
AS/NZS 4452:1997	The storage and handling of toxic substances	
Corrosive substances (in particular DG class 8)		
AS 3780:2008	The storage and handling of corrosive substances	
Miscellaneous substances (in particular DG class 9)		
AS/NZS 4681:2000	The storage and handling of Class 9 (miscellaneous) dangerous goods and articles	

Table 14 Standards for design requirements

Code	Name
Design requirements	
AS 1530.4:2014	Methods for fire tests on building materials, components and structures — Fire resistance tests for elements of construction
AS 1668.2:2002; AS 1668.2 Supp 1 - 2002 (R2016)	The use of ventilation and air-conditioning in buildings — Ventilation design for indoor air contaminant control
Interior and workplace light	ing
AS/NZS 1680 (series)	Road tank vehicles for dangerous goods
AS 2809:2008 (series)	Pipelines – gas and liquid petroleum
AS/NZS 2885 (series)	Pressure equipment — In-service inspection
AS/NZS 3788:2006 (R2017)	Pressure equipment — Operation and maintenance
AS 3873:2001 (R2016)	Pressure equipment – Installation
AS 3892:2001 (R2016)	Gas cylinder test stations — General requirements, inspection and tests — Gas cylinders
AS 2243 (series)	Safety in laboratories
AS 2507:1998	The storage and handling of agricultural and veterinary chemicals
AS 2865:2009	Confined spaces
AS/NZS 2982:2010	Laboratory design and construction

Code	Name
Interior and workplace light	ing (continued)
AS 3846:2005	The handling and transport of dangerous cargoes in port areas
AS 4041:2006 (R2016)	Pressure piping
AS/NZS 4114.1:2003	Spray painting booths. designated spray painting areas and paint mixing rooms — Design, construction and testing

Table 15 Standards for fire protection

Code	Name
General	
AS/NZS 1221:1997	Fire hose reels
AS 1603 (series)	Automatic fire detection and alarm systems
AS 1670 (series)	Fire detection, warning, control and intercom systems — System design, installation and commissioning
AS 1851:2012; AS 1851:2012/Amdt 1–2016	Routine service of fire protection systems and equipment
AS 2118 (series)	Automatic fire sprinkler systems
AS 2419 (series)	Fire hydrant installations
AS 2441:2005	Installation of fire hose reels
AS 2941:2008	Fixed fire protection installations – Pumpset systems
Fire prevention	
AS/NZS 1020:1995	The control of undesirable static electricity
AS/NZS 1768:2007	Lightning protection
AS 2359.12:1996	Powered industrial trucks – Hazardous areas
Fire Extinguishers	
AS/NZS 1841:2007 (series)	Portable fire extinguishers
AS/NZS 1850:2009	Portable fire extinguishers – Classification, rating and performance testing
AS 2444:2001	Portable fire extinguishers and fire blankets — Selection and location
AS 4265:1995	Wheeled fire extinguishers

Table 16 Standards for industry or particular situation

Code	Name
AS 2243 (series)	Safety in laboratories
AS 2507:1998	The storage and handling of agricultural and veterinary chemicals
AS 2865:2009	Confined spaces
AS/NZS 2982:2010	Laboratory design and construction
AS 3846:2005	The handling and transport of dangerous cargoes in port areas
AS 4041:2006 (R2016)	Pressure piping
AS/NZS 4114.1:2003	Spray painting booths designated spray painting areas and paint mixing rooms — Design, construction and testing

Tabla 17	Standarda	for personal	nrotootivo	oquinmont	(DDE)
	Stanuarus	IUI personal	protective	equipment	$(\Gamma \Gamma L)$

Code	Name		
AS/NZS 1336:2014	Eye and face protection — Guidelines		
AS/NZS 1337 (series)	Personal eye protection / Eye and face protection		
AS/NZS 1715:2009	Selection, use and maintenance of respiratory protective equipment		
AS/NZS 1716:2012	Respiratory protective devices		
AS/NZS 2161 (series)	Occupational protective gloves		
AS/NZS 2210.1:2010	Safety, protective and occupational footwear — Guide to selection, care and use		
AS/NZS 2210.2:2009	Occupational protective footwear — Test methods		
AS/NZS 4503 (series)	Protective clothing — Protection against liquid chemicals — Test method		

Table 18 Standards for airborne contaminants—sampling and analysis

Code	Name		
AS 2985:2009	Workplace atmospheres — Method for sampling and gravimetric determination of respirable dust		
AS 2986.1:2003 (R2016)	Workplace air quality — Sampling and analysis of volatile organic compounds by solvent desorption/gas chromatography — Pumped sampling method		
AS 2986.2:2003 (R2016)	Workplace air quality — Sampling and analysis of volatile organic compounds by solvent desorption/gas chromatography — Diffusive sampling method		
AS 3640:2009	Workplace atmospheres — Method for sampling and gravimetric determination of inhalable dust		
AS 3853.1:2006	Health and safety in welding and allied processes — Sampling of airborne particles and gases in the operator's breathing zone — Sampling of airborne particles		
AS 3853.2:2006	Health and safety in welding and allied processed — Sampling of airborne particles and gases in the operator's breathing zone — Sampling of gases		
Health and Safety Executive (UK)	 HSG173 Monitoring Strategies for Toxic Substances Methods for the Determination of Hazardous Chemicals (MDHS) (series) 		
National Institute for Occupational Safety and Health (USA)	 NIOSH Manual of Analytical Methods Occupational Exposure Sampling Strategy Manual 		

The State of Western Australia supports and encourages the dissemination and exchange of its information. The copyright in this publication is licensed under a Creative Commons Attribution 4.0 International (CC BY) licence.



Under this licence, with the exception of the Government of Western Australia Coat of Arms, the Department's logo, any material protected by a trade mark or licence and where otherwise noted, you are free, without having to seek our permission, to use this publication in accordance with the licence terms.

We also request that you observe and retain any copyright or related notices that may accompany this material as part of the attribution. This is also a requirement of the Creative Commons Licences.

For more information on this licence, visit creativecommons.org/licenses/ by/4.0/legalcode





Government of Western Australia Department of Mines, Industry Regulation and Safety

Department of Mines, Industry Regulation and Safety 303 Sevenoaks Street CANNINGTON WA 6107

Telephone: 1300 307 877

NRS: 13 36 77

Email: SafetyComms@dmirs.wa.gov.au

Website: www.dmirs.wa.gov.au